



**Social Security Department
Centre for work, pensions
and benefits**

**Products available as
Pharmaceutical Benefit under the
Health Insurance (Jersey) Law 1967**

NOVEMBER 2018

How to use the Prescribed List

Items are listed by generic name except where

- the medicine is a complex preparation and listed by brand name
- the medicine is only reimbursed when prescribed as the specified brand (the specified brand may be stated at the end of the entry line)

Unless otherwise stated, items listed by generic name are reimbursable as 'open order', that is any suitable proprietary or non-proprietary product that meets the prescription may be dispensed.

Items listed as 'Generic' must be prescribed by generic name and will be reimbursed at the price stated in Part VIII of the current Drug Tariff.

Items listed by brand name will only be reimbursed if prescribed as the brand specified in the entry in the List

Items listed as 'shared care' are subject to a shared care protocol that restricts initiation to hospital specialists. On-going prescribing may be undertaken by the patient's GP under the terms of the relevant shared care agreement.

Supply

A maximum of 30 days supply may be given on any one prescription. The exceptions are specified drugs for: **diabetes, thyroid disorders, epilepsy, oral contraceptives, and hormone replacement therapy.**

All the above may be prescribed for up to a maximum of 90 days on one prescription and the products are all marked with a descriptor of 90 days.

Other exceptions are:

| ITEM | RULE |
|------------------------------|--|
| Itraconazole – pulse therapy | the full course is less than 30 days - one prescription charge applies |
| Ondansetron | Five-day supply only for treatment of patients with terminal illness and intractable nausea/vomiting |

Prescriptions for products used in the treatment of addiction may need to be stamped by the Alcohol & Drug Service to show that the patient is receiving additional support. Such products have a descriptor of A & DS.

Pricing of Prescriptions

The prescriptions are priced according to the Drug Tariff for England and Wales. You will normally receive a hard copy each month. However, the Drug Tariff may also be accessed online through the PPD website www.ppa.org.uk. The PPD will take direct queries on 0191 203 5442.

Prescription Charges – Please note that prescription charges are abolished

Repeats

Up to three, post-dated repeat prescriptions, each for one months' supply (unless 90-day supply allowed), may be issued in addition to the current months' prescription.

Instalment dispensing fees

When a doctor has requested dispensing at stipulated intervals, instalment-dispensing fees may be claimed if the medicine is listed in Part I, II or III of the second schedule to the Misuse of Drugs (Jersey) Law 1978,

NB Benzodiazepines are not a notifiable product under the Misuse of Drugs Law. Therefore, no instalment dispensing fees can be paid for someone addicted only to benzodiazepines.

Submitting of prescriptions for pricing

Prescriptions should be submitted to the Social Security Department at La Motte Street, on a monthly basis. Normally this is by the third working day (Mon-Fri), but if there is a Bank Holiday in the month (January, April, May, August and December), then it is the second working day. All prescriptions have to be submitted by 2p.m. on the final day to ensure that the figures are entered on our system to run the payment schedules overnight.

The prescriptions are then sent to the Prescription Pricing Department in Newcastle for pricing.

Payment of Prescriptions

On the submission of a month's prescriptions, an estimated payment is made based on the number of items claimed multiplied by the pharmacy's average cost per item from the previous priced month. This figure is then adjusted by the amount under/over paid in the estimate of the previous month, the actual figure being calculated from the PPD's pricing of the prescriptions.

Remuneration

There are two elements to the remuneration for dispensing: dispensing fees and discount. A fee is paid for the dispensing of each prescription and sundry dispensing fees e.g. for a controlled drug, for expensive items.

A percentage of the discount that pharmacies are estimated to receive in the purchasing of medicines is deducted. Currently only 15% of the estimated level of discount is recouped.

The sum of the dispensing fees less the discount results in the net remuneration per item.

Other Health Subsidies

The Health and Social Services Department provide a range of additional items. These include continence and dietary products, oxygen and feeding equipment for the community.

To access the scheme, please contact John Cox. Tel: 443552.

Changes in this edition of the Prescribed List

Additions to the List

The following new medicines have been added to the Prescribed List for reimbursement from 1 November 2018:

1. **Isotretinoin 0.05% / Erythromycin 2% gel** – for open order by generic name or brand name (Isotrexin)
2. **Mesalazine 1.2g gastro-resistant modified-release tablets** – for open order by generic name or brand name (Mezavant XL)
3. **Disopyramide 250mg modified-release tablets** – open order

In addition, the following amendments have been made to entries in the List:

4. **Pregabalin capsules** 25mg, 50mg, 75mg, 100mg, 150mg, 200mg, 225mg, 300mg - to be listed as 'Generic only' for PartVIII A reimbursement only (no brand names accepted)
5. **Disopyramide SR 250mg capsules** – removed from the List
6. **Aveeno Bath and Shower oil** added to the List
7. **Polytar Scalp Shampoo** added to the List

| | |
|----------------------------|--|
| Generic | To be prescribed generically (reimbursed as Drug Tariff Part VIII) |
| 90 days | Up to 90 days' supply permissible |
| Short term use only | Restricted to short term use (no more than 5 days in patients with terminal illness and intractable nausea/vomiting) |
| A&DS dispensing | Authorisation required by Alcohol & Drug Service before |
| Shared care | Prescribable in the community under a shared care agreement with the appropriate specialist |

| Drug Name | Form | Strength | Other Information |
|---------------------------------|--|--|---|
| Abidec | Oral Drops | | |
| Acamprosate Calcium | Tablets | 333mg | A&DS |
| Acarbose | Tablets | 50mg; 100mg | 90 days |
| Acebutolol | Capsules | 100mg; 200mg | |
| Acebutolol | Tablets | 400mg | |
| Acenocoumarol | Tablets | 1mg | |
| Acetazolamide | Capsules SR | | |
| Acetazolamide | Tablets B. P | 250mg | 90 days |
| Acetazolamide | Injection | 500mg | |
| Acetylcysteine | Eye drops | 5% | |
| Aciclovir | Cream | 5% | Generic |
| Aciclovir | Eye Ointment | 3% | |
| Aciclovir | Tablets | 200mg; 400mg; 800mg | Generic |
| Aciclovir | Suspension | | |
| Adaplene | Gel | 0.10% | |
| Adapalene/benzoyl peroxide | Gel | 1mg/25mg per gram | |
| Adaplene | Cream | 0.10% | |
| Adrenaline 1mg/1ml (1 in 1,000) | solution for injection pre-filled syringes | | |
| Adrenaline | Eye Drops 1% | | |
| Adrenaline | Injection B. P | | |
| Aerochamber Plus spacer device | | Standard and infant devices, including masks | |
| Albendazole | Tablets | 200mg | |
| Alendronic Acid | Tablets | 5mg; 10mg | Generic |
| Alendronic Acid | Tablets (once weekly) | 70mg | Generic |
| Alfacalcidol | Capsules | 0.25 mcg; 1 mcg | |
| Alfacalcidol | Oral drops | 2 mcg/ml | |
| Alfuzosin | Tablets | 2.5mg | |
| Alfuzosin | Tablets XL | 10mg | |
| Alimemazine Tartrate | Oral solution | 7.5mg per 5ml; 30mg per 5ml | |
| Alimemazine Tartrate | Tablets | 10mg | |
| Allopurinol | Tablets | 100mg; 300mg | Generic |
| Almotriptan | Tablets | 12.5mg | |
| Alpha-tocopheryl | Tablets chewable, gel capsules | 100mg, 400IU | Gel capsules only reimbursed as Vita-E 400unit capsules brand (Typharm Ltd) |
| Alpha-tocopheryl | Suspension | 500mg/5ml | |
| Alphosyl | HC Cream | | |
| Aluminium Chloride Hexahydrate | Solution | 20%-60ml | |
| Aluminium Hydroxide | Capsules | 475mg | |
| Aluminium Hydroxide | Tablets | 500mg | |

| Drug Name | Form | Strength | Other Information |
|---------------------------|-----------------------------------|-------------------------|-----------------------------|
| Alverine Citrate | Capsules | 60mg, 120mg | |
| Amantadine | Capsules | 100mg | |
| Amantadine | Oral solution | 50mg/5ml | |
| Amiloride | Tablets | 5mg | Generic |
| Aminophylline | Tablets S.R | 225mg | |
| Aminophylline | Injection | 250mg/10ml | |
| Amiodarone | Tablets | 100mg; 200mg | Generic |
| Amisulpride | Tablets | 50mg; 200mg | Shared care |
| Amisulpride | Solution | 100mg/ml | |
| Amitriptyline | Tablets | 10mg; 25mg; 50mg | Generic |
| Amitriptyline | Oral solution | 50mg/5ml | |
| Amlodipine | Tablets | 5mg; 10mg | Generic |
| Amobarbital Sodium CD | Capsules | 60mg | |
| Amoxicillin | Capsules | 250mg; 500mg | Generic |
| Amoxicillin | Sachet | 3g | |
| Amoxicillin | Suspension | 125mg per 1.25ml | |
| Amoxicillin | Suspension | 125mg; 250mg per 1.25ml | |
| Amoxicillin | Injection | 500mg vial | |
| Anastrozole | Tablets | 1mg | Generic |
| Ancora® 375 Ag | Intrauterine contraceptive device | | |
| Ancora® 375 Cu | Intrauterine contraceptive device | | |
| Antazoline/xylometazoline | Eye drops | 0.5%/0.05% | Otrivine-Antistin |
| Anusol | Cream | | |
| Anusol | Ointment | | |
| Anusol | Suppositories | | |
| Anusol HC | Ointment | | |
| Anusol HC | Suppositories | | |
| Apixaban | Tablets | 2.5mg; 5mg | |
| Aqueous | Cream B.P. | | |
| Aripiprazole | Tablets | 5mg; 10mg; 15mg; 30mg | Shared care Generic only |
| AS Saliva orthna | Oral spray | 50ml (no refill) | |
| AS Saliva orthna | Lozenges | | |
| Ascorbic acid | Tablets | 50mg; 100mg | |
| Ascorbic acid | Chewable Tablets | 500mg | |
| Aspirin | e/c Tablets | 75 mg | Generic |
| Aspirin | Dispersible Tablets | 75mg; 300mg | |
| Aspirin | Tablets | 75mg; 300mg | |
| Aspirin / Metoclopramide | Sachets | 900mg/10mg | |
| Aspirin Enteric Coated | Tablets | 300mg | Generic |
| Atenolol | Tablets | 25mg; 50mg; 100mg | Generic |
| Atenolol | Oral solution | 25mg/5ml | |
| Atenolol | Injection | 5mg/10ml | |
| Atorvastatin | Tablets | 10mg; 20mg; 40mg; 80mg | Generic |

| Drug Name | Form | Strength | Other Information |
|---|---|-----------------------------------|----------------------------|
| Atropine | Eye Drops | | |
| Atropine | Injection B.N.F | | |
| Atropine | Minims | | |
| Atropine sulphate | Tablets | 600 mcg | |
| Aveeno | Bath additive, Bath oil, Cream, Bath and Shower oil | | |
| Azathioprine | Tablets | 25mg; 50mg | Generic / Shared care |
| Azelaic acid | Cream | 20% | Skinoren brand |
| Azelastine | Aqueous nasal spray | 140mcg (all pack sizes) | |
| Azithromycin | Tablets | 250mg, 500mg | Generic |
| Azithromycin | Oral Suspension | 200mg/5ml | |
| Baclofen | Tablets | 10mg | Generic |
| Baclofen | Suspension | 5mg/5ml | |
| Balneum | Bath Additive | | |
| Balneum Plus | Bath Oil | 500ml | |
| Balneum Plus | Cream | 100g | |
| Beclometasone | Aqueous Nasal Spray | 200 unit dose only | |
| Beclometasone | CFC- Free MD Inhaler | 50mcg; 100mcg; 200mcg; 250mcg | Clenil Modulite |
| Beclometasone dipropionate with formoterol fumarate | metered-dose aerosol inhaler; dry powder inhaler | 100mcg/6mcg, 200mcg/6mcg per dose | Fostair, Fostair Nexthaler |
| Bendroflumethiazide | Tablets | 2.5mg, 5mg | Generic |
| Benzoic Acid | Compound Ointment | B.N.F | |
| Benzoyl peroxide/ clindamycin gel (Duac) | | 3%1%, 5%1% | |
| Benzoyl Peroxide | Gel | 5%; 10% | Open order |
| Benzoyl peroxide/adapalene | Gel | 25mg/1mg per gram | |
| Benzydamine | Oral Rinse | 0.15% | |
| Benzydamine | Spray | | |
| Benzyl Benzoate | Application | B.N.F | |
| Betahistine | Tablets | 8mg; 16mg | Generic |
| Betamethasone | Eye/Ear/Nose Drops | | |
| Betamethasone | Eye Ointment | | |
| Betamethasone | Injection | 4mg per 1ml | |
| Betamethasone | Tablets | 0.5mg | |
| Betamethasone | Cream | 0.025% | |
| Betamethasone | Lotion | | |
| Betamethasone | Ointment | | |

| Drug Name | Form | Strength | Other Information |
|---|---|---|---------------------------------|
| Betamethasone | <i>RD Cream; Ointment</i> | | |
| Betamethasone | <i>Scalp Application</i> | | |
| Betamethasone and Fusidic Acid | <i>Cream</i> | | |
| Betamethasone dipropionate/Calcipotriol | <i>Scalp Gel, ointment, foam (Enstilar brand)</i> | <i>500mcg/50mcg per gram</i> | |
| Betamethasone/Salicylic acid | <i>Ointment</i> | <i>0.05%/3%</i> | |
| Betaxolol | <i>Eye Drops</i> | <i>0.25%, 0.5% 0.25% Preservative free</i> | |
| BETNESOL-N | <i>Eye/Ear/Nose Drops</i> | | |
| Bezafibrate | <i>Tablets</i> | <i>200mg</i> | |
| Bezafibrate | <i>Tablets M. R.</i> | <i>400mg</i> | |
| Bicalutamide | <i>Tablets</i> | <i>50mg; 150mg</i> | Generic |
| Bimatoprost | <i>Eye drops</i> | <i>100mcg/ml; 300mcg/mL (preservative free)</i> | |
| Bimatoprost/Timolol | <i>Eye Drops</i> | <i>300mcg/5mg/ml; 300mcg/5mg/ml preservative free</i> | |
| BioXtra | <i>Oral gel; spray Mouthwash</i> | <i>40mL tube 50ml spray</i> | Brand only |
| Bisacodyl | <i>Suppositories</i> | <i>5mg; 10mg</i> | |
| Bisacodyl | <i>Tablets</i> | <i>5mg</i> | Generic |
| Bisoprolol Fumarate | <i>Tablets</i> | <i>1.25mg; 2.5mg; 3.75mg; 5mg; 7.5mg; 10mg</i> | |
| Brimonidine | <i>Eye drops</i> | <i>0.20%</i> | |
| Brinzolamide | <i>Eye drops</i> | <i>10mg/mL</i> | |
| Brinzolamide/brimonidine | <i>Eye drops</i> | <i>10mcg/2mg per mL</i> | |
| Brinzolamide/timolol | <i>Eye drops</i> | <i>10mg/5mg per mL</i> | |
| Bromocriptine | <i>Tablets</i> | <i>2.5mg</i> | |
| Bromocriptine | <i>Capsules</i> | <i>10mg</i> | |
| Budesonide | <i>Inhaler</i> | <i>50mcg/puff; 200mcg /puff</i> | |
| Budesonide | <i>Respules</i> | <i>0.25mg/ml; 0.5mg/ml</i> | |
| Budesonide | <i>Turbohaler</i> | <i>100; 200; 400</i> | |
| Budesonide | <i>Nasal Spray</i> | | |
| Budesonide | <i>Inhalation Powder</i> | <i>200mcg</i> | |
| Budesonide | <i>Capsules M/r capsules</i> | <i>3mg 3mg</i> | |
| Budesonide/Formoterol | <i>Dry powder inhaler</i> | <i>100; 200mcg; 400mcg</i> | Symbicort Turbohaler |
| Budedsonide/formoterol | <i>Dry powder inhaler</i> | <i>160mcg/4.5mcg, 320mcg/9mcg</i> | DuoResp Spiromax |

| Drug Name | Form | Strength | Other Information |
|---|---|--|------------------------------------|
| Bumetanide | <i>Tablets</i> | <i>1mg; 5mg</i> | Generic |
| Bumetanide | <i>Liquid</i> | <i>1mg/5ml</i> | |
| Bumetanide | <i>Injection</i> | <i>500mcg/ml</i> | |
| Buprenorphine | transdermal patch | 5mcg, 10mcg, 20mcg/hour | |
| Buspirone | <i>Tablets</i> | <i>5mg, 10mg</i> | |
| Cabergoline | <i>Tablets</i> | <i>500 mcg; 1mg; 2mg</i> | Generic/Shared care |
| Calamine | <i>Cream</i> | <i>B.N.F</i> | |
| Calamine | <i>Lotion</i> | <i>B.N.F</i> | |
| Calcipotriol | <i>Ointment</i> | | |
| Calcipotriol | <i>Scalp Solution</i> | | |
| Betamethasone dipropionate/ Calcipotriol | <i>Scalp Gel, ointment, foam (Enstilar brand)</i> | <i>500mcg/50mcg per gram</i> | |
| Calcium acetate | <i>Tablets</i> | <i>1g</i> | |
| Calcium and Vitamin D₃ | <i>Tablets Forte</i> | | |
| Calcium Carbonate | <i>Tablets</i> | <i>chewable 500mg</i> | |
| Calcium Carbonate with Colecalciferol | <i>Tablets</i> | <i>chewable 1.5g/400 units</i> | Adcal D3 |
| Calcium Carbonate with Colecalciferol | <i>Tablets</i> | <i>Chewable 1.25g/400 units</i> | Calceos, Calcichew D3 Forte |
| Calcium Carbonate with Colecalciferol | <i>Caplets</i> | <i>500mg/400 units</i> | Calcichew D3 |
| Calcium chloride | <i>Pre-filled syringe</i> | <i>10%-10ml</i> | |
| Calcium Gluconate | <i>Effervescent tablet</i> | <i>1000mg</i> | |
| Calcium Phosphate with Colecalciferol | <i>Powder</i> | <i>1.2g/800 units</i> | Calfovit D3 |
| Calcium polystyrene sulphonate | <i>Resin</i> | <i>300g</i> | |
| Calmurid | <i>Cream</i> | | Urea |
| Canagliflozin | <i>Tablet</i> | <i>100mg, 300mg</i> | 90 days |
| Canagliflozin/metformin tablet | <i>Tablet</i> | <i>50mg/850mg, 50mg/1g</i> | 90 days |
| Candesartan | <i>Tablets</i> | <i>2 mg; 4 mg; 8 mg; 16 mg; 32mg</i> | Generic |
| Capasal Shampoo | <i>Shampoo</i> | <i>250ml</i> | |
| Captopril | <i>Tablets</i> | <i>12.5mg; 25mg; 50mg</i> | Generic |
| Captopril | <i>Oral solution</i> | <i>5mg/5mL</i> | <i>Licensed product only</i> |
| Carbamazepine | <i>Liquid</i> | <i>100mg per 5ml</i> | 90 days |
| Carbamazepine | <i>Tablets</i> | <i>100mg; 200mg;400mg</i> | 90 days |
| Carbamazepine | <i>Tablets M. R.</i> | <i>200mg; 400mg</i> | 90 days |
| Carbamazepine | <i>Suppositories</i> | <i>125mg; 250mg (short term use only, see BNF)</i> | |

| Drug Name | Form | Strength | Other Information |
|---|--------------------------------|--|--------------------------|
| Carbimazole | <i>Tablets</i> | <i>5mg</i> | 90 days |
| Carbimazole | <i>Tablets</i> | <i>20mg</i> | 90 days |
| Carbocisteine | <i>Capsules</i> | <i>375mg</i> | |
| Carbocisteine | <i>Oral solution</i> | <i>125mg/5mg; 250mg/5ml</i> | |
| Carbomer 980 | <i>Liquid eye gel 0.2%</i> | <i>10g tube; Single dose units</i> | |
| Carmellose sodium (including with glycerol or with glycerol and castor oil) | <i>Eye Drops</i> | <i>0.5%, 1%</i> | |
| Carmellose | <i>Single use eye drop</i> | <i>0.5%, 1%</i> | Generic |
| Carteolol | <i>Eye Drops</i> | <i>1%; 2%</i> | |
| Carvedilol | <i>Tablets</i> | <i>3.125mg; 6.25mg; 12.5mg; 25mg</i> | Generic |
| Cefaclor | <i>Tablets</i> | <i>375mg M.R.</i> | Generic |
| Cefaclor | <i>Suspension</i> | <i>125mg; 250mg per ml</i> | |
| Cefalexin | <i>Capsules</i> | <i>250mg; 500mg</i> | Generic |
| Cefalexin | <i>Suspension</i> | <i>125mg per 5ml; 250mg per 5ml</i> | |
| Cefixime | <i>Tablet</i> | <i>200mg</i> | |
| Cefotaxime | <i>Injection</i> | <i>500mg; 2g</i> | |
| Ceftazidime | <i>Injection</i> | <i>500mg; 1g; 2g</i> | |
| Ceftriaxone | <i>Injection</i> | <i>250mg; 1g; 2g</i> | |
| Cefuroxime | <i>Injection</i> | <i>750mg; 250mg</i> | |
| Celecoxib | <i>Capsules</i> | <i>100mg; 200mg</i> | |
| Cetirizine | <i>Oral Solution</i> | <i>5mg/5ml</i> | Generic |
| Cetirizine | <i>Tablets</i> | <i>10mg</i> | Generic |
| Cetraben | <i>Cream Ointment</i> | | |
| Chloral hydrate | <i>Oral solution</i> | <i>500mg/5ml</i> | |
| Chlorambucil | <i>Tablets</i> | <i>2mg</i> | |
| Chloramphenicol | <i>Eye Ointment</i> | <i>1%</i> | Generic |
| Chloramphenicol | <i>Eye Drops</i> | <i>0.50%</i> | Generic |
| Chloramphenicol | <i>Minims</i> | <i>0.50%</i> | |
| Chlordiazepoxide | <i>Capsules</i> | <i>5mg; 10mg</i> | Generic |
| Chlorhexidine | <i>Solution</i> | <i>4% Solution in Emulsion Base</i> | |
| Chlorhexidine | <i>Mouthwash</i> | <i>0.20%</i> | |
| Chlorhexidine | <i>Topical irrigation</i> | <i>0.02%</i> | |
| Chlorhexidine | <i>Oral Spray</i> | | |
| Chlorhexidine/neomycin | <i>Cream</i> | <i>0.1%/0.5%</i> | <i>Naseptin</i> |
| Chlorphenamine | <i>Oral solution</i> | <i>2mg per 5ml</i> | |
| Chlorphenamine | <i>Tablets</i> | <i>4mg</i> | Generic |
| Chlorphenamine | <i>Injection</i> | <i>10mg/ml</i> | |
| Chlorpromazine | <i>Injection</i> | <i>25mg per ml in 2ml ampoules</i> | |
| Chlorpromazine | <i>Oral solution</i> | <i>100mg per 5ml</i> | |

| Drug Name | Form | Strength | Other Information |
|-----------------------|-----------------------|-------------------------|---------------------|
| Chlorpromazine | Oral solution | 25mg per 5ml | |
| Chlorpromazine | Tablets | 25mg; 50mg; 100mg | |
| Chlortalidone | Tablet | 50mg | |
| Choline salicylate | | Oral dental gel | |
| Ciclosporin | Capsules | 25mg; 50mg; 100mg | Shared care |
| Ciclosporin | Solution | 100mg | |
| Cimetidine | Oral solution | 200mg per 5ml | |
| Cimetidine | Tablets | 200mg; 400mg; 800mg | Generic |
| Cinnarizine | Tablets | 15mg | |
| Ciprofloxacin | Tablets | 250mg | Generic |
| Ciprofloxacin | Tablets | 500mg | Generic |
| Ciprofloxacin | Tablets | 750mg | |
| Ciprofloxacin | Ophthalmic solution | 0.30% | |
| Ciprofloxacin | Suspension | 250mg/5ml | |
| Citalopram | Tablets | 10 mg; 20 mg; 40 mg | Generic |
| Citalopram | Oral Drops | 40 mg/ml | |
| Clarithromycin | Paediatric Suspension | 125mg/5ml; 250mg/5ml | |
| Clarithromycin | Tablets XL | 500mg | |
| Clarithromycin | Tablets | 250mg; 500mg | Generic |
| Clindamycin | Acne Solution | | |
| Clindamycin | Cream | 2% | |
| Clindamycin | Topical Lotion | | |
| Clindamycin/tretinoin | Gel | 10mg/250mcg per gram | |
| Clindamycin | Capsules | 150mg | |
| Clobazam | tablets | 10mg | 90 days, Generic |
| Clobetasol Propionate | Cream | | |
| Clobetasol Propionate | Ointment | | |
| Clobetasol Propionate | Scalp Lotion | | |
| Clobetasone Butyrate | Cream | | |
| Clobetasone Butyrate | Ointment | | |
| Clomethiazole | Capsules | 192mg | |
| Clomethiazole | Oral solution | 250mg/5ml | |
| Clomipramine | Capsules | 10mg; 25mg; 50mg | Generic |
| Clonazepam | Injection | 1 mg/ml | |
| Clonazepam | Tablets | 0.5mg; 2mg | 90 days |
| Clonidine | Tablets | 25mcg; | Generic |
| Clonidine | Tablets | 0.1mg | |
| Clonidine | Injection | 150 mcg/ ml | |
| Clopidogrel | Tablets | 75mg | Generic/Shared care |
| Cloral betaine | Tablets | 707mg | |
| Clotrimazole | Cream | 1% | |
| Clotrimazole | Cream HC | | |
| Clotrimazole | Combi | 500mg vaginal tablet | |

| Drug Name | Form | Strength | Other Information |
|---|---------------------------------|------------------------------------|------------------------------|
| | | + 2% cream | |
| Clotrimazole | Vaginal Tablets | 100mg; 200mg; 500mg | |
| Clotrimazole | Vaginal Cream | 10% | |
| Clotrimazole | Ear Solution | 1% | |
| Clotrimazole | Solution | 1%-20 ml | |
| Co- danthrusate | Capsules | 50/60 | |
| Coal tar | Solution cutaneous emulsion | 5% | Exorex brand |
| Coal Tar and Salicylic Acid | Ointment | B.N.F | |
| Co-amilofruse | Tablets | 5mg/40mg | Generic |
| Co-amilofruse | Tablets | 2.5/20 | Generic |
| Co-amilozide | Tablets | 5mg/50mg | Generic |
| Co-amilozide | Tablets | 2.5/25 | Generic |
| Co-amoxiclav | Tablets | 250/125mg | Generic |
| Co-amoxiclav | Tablets | 500/125mg | Generic |
| Co-amoxiclav | Suspension | 125/31 | |
| Co-amoxiclav | Suspension | 250/62 | |
| Co-amoxiclav | Suspension | 400/57 | |
| Co-amoxiclav | Injection | 1.2g | |
| Co-beneldopa | Capsules | 62.5mg; 125mg; 250mg | |
| Co-beneldopa | CR Capsules | 125mg | |
| Co-beneldopa | Dispersible Tablets | 62.5mg; 125mg | |
| Co-careldopa | Tablets | 12.5/50; 10/100; 25/100; 25/250 | |
| Co-careldopa | Tablets m/r | 25/100; 50/200 | |
| Co-Codamol | Tablets | 30/500mg | |
| Co-Codamol | Tablets | 8/500mg | Generic |
| Co-Codamol | Tablets Effervescent | 30/500; 8/500mg | |
| Cocois | Scalp Ointment | | |
| Co-cyprindiol Cyproterone/Ethinyl oestradiol) | Tablets | 2mg/35 mcg | Generic, 90- days |
| Co-danthramer | Suspension | 25/ 200 in5ml; | |
| Co-danthramer | Strong suspension | 75/1000 in 5ml | |
| Codeine | Linctus | B.N.F | |
| Codeine | Paediatric Linctus | B.N.F | |
| Codeine Phosphate | Tablets | 15mg; 30mg; 60mg | Generic |
| Codeine Phosphate | CD Injection | 60mg | |
| Co-dydramol | Tablets | 10/500mg | Generic |
| Colchicine | Tablets B.P. | 500mcg | Generic |
| Colecalciferol | Tablet | 20mcg (800 units) | |
| Colecalciferol | Oral solution | 25,000 units per 2.5mL | Thorens brand |
| Colestyramine | Sachets (and with Aspartame) | 4g per sachet | |

| Drug Name | Form | Strength | Other Information |
|--|--|--|----------------------------|
| Co-phenotrope | <i>Tablet</i> | <i>2.5/0.025</i> | Generic |
| Copper T 380A® | <i>Intrauterine contraceptive device</i> | | |
| Cotriamterzide | <i>Tablets</i> | | |
| Co-trimoxazole | <i>Tablets</i> | <i>480mg; 960mg</i> | Generic |
| Co-trimoxazole | <i>Oral Suspension</i> | <i>240mg/5ml, 480mg/5mL</i> | Generic |
| Creon Micro | <i>Granules</i> | | |
| Crotamiton | <i>Lotion</i> | <i>10%</i> | |
| Crotamiton | <i>Cream</i> | <i>10%</i> | |
| Cu-Safe® T300 | <i>Intrauterine contraceptive device</i> | | |
| Cyanocobalamin | <i>Injection</i> | <i>1,000mcg per 1ml</i> | |
| Cyclizine | <i>Tablets</i> | <i>50mg</i> | |
| Cyclizine | <i>Injection</i> | <i>50mg/1ml</i> | |
| Cyclopentolate | <i>Eye Drops</i> | <i>0.5%; 1%</i> | |
| Cyclopentolate | <i>Minims</i> | <i>0.5%; 1%</i> | |
| Cyclophosphamide | <i>Tablets</i> | <i>50mg</i> | Shared care/Generic |
| CYCLOPROGYNOVA | <i>Tablets</i> | <i>1mg; 2mg</i> | 90 days |
| Cyproterone | <i>Tablets</i> | <i>50mg; 100mg</i> | Generic |
| Dabigatran | <i>Capsules</i> | <i>150mg ; 110mg</i> | |
| Dalavit | <i>Oral drops</i> | | |
| Danazol | <i>Capsules</i> | <i>100mg; 200mg</i> | |
| Dapagliflozin | <i>Tablet</i> | <i>5mg, 10mg</i> | 90 days |
| Dapagliflozin/metformin | <i>Tablet</i> | <i>5mg/850mg, 5mg/1g</i> | 90 days |
| Dapsone | <i>Tablets B.P</i> | <i>50mg; 100mg</i> | |
| Demeclocycline | <i>Capsules</i> | <i>150mg</i> | |
| Denosumab | <i>Pre-filled syringe</i> | <i>60 mg/ml</i> | |
| DERMOL | <i>Cream</i> | | |
| DERMOL 200 | <i>Shower Emollient</i> | | |
| DERMOL 500 | <i>Lotion</i> | | |
| DERMOL 600 | <i>Bath Emollient</i> | | |
| Desmopressin | <i>Tablets</i> | <i>100 mcg; 200 mcg;</i> | |
| Desmopressin | <i>Oral lyophilisate tablet</i> | <i>25mcg, 50mcg, 60mcg, 120mcg, 240mcg</i> | |
| Desmopressin | <i>Nasal Spray</i> | <i>10 mcg/dose</i> | |
| Desogestrel | <i>Tablets</i> | <i>75mcg</i> | 90 days |
| Dexamethasone | <i>Tablets</i> | <i>0.5mg; 2mg</i> | |
| Dexamethasone | <i>Injection</i> | <i>3.3mg/mL</i> | |
| Dexamethasone | <i>Eye drops preservative-free</i> | <i>0.1% (0.4mL unit dose)</i> | |
| Dexamethasone | <i>Eye drops</i> | <i>0.1%</i> | |
| Dexamethasone | <i>Oral Solution</i> | <i>2mg/5ml</i> | |
| Dexamethasone/ Hypromellose | <i>Eye drops</i> | | |

| Drug Name | Form | Strength | Other Information |
|---|--------------------------|---|-------------------|
| Dexamethasone/ Neomycin/Polymyxin B | Eye drops Eye ointment | | |
| Dexamethasone/ Neomycin/Polymyxin B | Ear spray | 0.1%/3250units/ml/2% | |
| Dexamethasone/tobramycin | Eye drops | 1mg/3mg per mL | |
| Diabact UBT | Tablets | ¹³ C-urea 50mg | |
| Diamorphine CD | Injection B.P | State the number of ampoules to be dispensed and amount of diamorphine in each. | |
| Diazepam | Oral solution | 2mg per 5ml | Generic |
| Diazepam | Tablets | 2mg; 5mg | Generic |
| Diazepam | Rectal Tubes | | |
| Diazepam | Injection | 10mg/2ml | |
| Diclofenac Sodium | Capsules MR | 100mg; 75mg | |
| Diclofenac Sodium | Dispersible Tablets | 50mg | |
| Diclofenac Sodium | Gel | 3% | |
| Diclofenac Sodium | Injection | 25mg per ml | |
| Diclofenac Sodium | Suppositories | 12.5mg; 25mg; 50mg; 100mg | |
| Diclofenac Sodium | Tablets | 25mg; 50mg | Generic |
| Dicycloverine | Oral solution | 10mg per 5ml | |
| Dicycloverine | Tablets | 10mg | |
| Diethylstilboestrol | Tablets B. P | 1mg; 5mg | |
| Diflucortolone | Cream | 0.10% | |
| Diflucortolone | Oily cream | 0.30% | |
| Diflucortolone | Ointment | 0.30% | |
| Digoxin | Injection | 0.5mg in 2ml | |
| Digoxin | Ampoules | | |
| Digoxin | Tablets | 0.0625mg; 0.125mg; 0.25mg | Generic |
| Digoxin | Elixir | 0.05mg per ml | |
| Dihydrocodeine | Tablets | 30mg | Generic |
| Dihydrocodeine | Tablets MR | 60mg; 90mg; 120mg | |
| Dihydrocodeine | Oral solution | 10mg/5ml | |
| Dihydrocodeine | Injection | CD 50mg/ml | |
| Diltiazem | Tablets | 60mg | |
| Diltiazem | Retard Tablets | 90mg; 120mg | |
| Diltiazem | LA Capsules | 200mg; 300mg | |
| Dimeticone | Lotion | 4% | |
| Dioralyte | Oral powder sachets | | |
| Dioralyte Relief | Sachets | | |
| Diphtheria (low dose) and Tetanus Vaccine | Pre-filled syringe 0.5ml | | |
| DIPROBASE | Cream | | |
| DIPROBASE | Ointment | | |

| Drug Name | Form | Strength | Other Information |
|-------------------------------------|--------------------------------------|--|----------------------------|
| Dipyridamole | <i>Injection</i> | <i>5mg per ml</i> | |
| Dipyridamole | <i>Tablets</i> | <i>25mg; 100mg</i> | Generic |
| Dipyridamole | <i>Capsules MR</i> | <i>200mg</i> | |
| Dipyridamole and Aspirin | <i>Capsules MR</i> | <i>200/25</i> | |
| Disopyramide | <i>Capsules</i> | <i>100mg; 150mg</i> | |
| Disopyramide | <i>Modified-release tablet</i> | <i>250mg</i> | |
| Disopyramide | <i>Injection</i> | <i>50mg/5ml</i> | |
| Disulfiram | <i>Tablets</i> | <i>200mg</i> | |
| Dithranol | <i>Paste Strong B.P.</i> | | |
| Dithranol | <i>Paste Weak B.P.</i> | | |
| Dithranol | <i>Cream</i> | <i>0.1%; 0.25%; 0.5%; 1%; 2%</i> | |
| Docusate sodium | <i>Oral solution SF</i> | <i>50mg/5mL</i> | Generic |
| Docusate sodium | <i>Capsules</i> | <i>100mg</i> | |
| Domperidone | <i>Suspension</i> | <i>5mg per 5ml</i> | |
| Domperidone | <i>Tablets</i> | <i>10mg</i> | Generic |
| Donepezil | <i>Tablets</i> | <i>5mg; 10mg</i> | Generic/Shared care |
| Dorzolamide | <i>Eye drops</i> | <i>2%</i> | Generic |
| Dorzolamide | <i>Preservative-free eye drops</i> | <i>2%</i> | |
| Dorzolamide/Timolol | <i>Eye Drops</i> | <i>2%/0.5%</i> | Generic |
| Dorzolamide/Timolol | <i>Preservative-free eye drops</i> | <i>2%/0.5%</i> | |
| Dosulepin | <i>Capsules</i> | <i>25mg</i> | Generic |
| Dosulepin | <i>Tablets</i> | <i>75mg</i> | Generic |
| Doublebase | <i>Gel Emollient</i> | | |
| Doublebase | <i>Shower Gel</i> | | |
| Doublebase | <i>Emollient Wash gel</i> | <i>200g pump (containing isopropyl myristate 15% w/w, liquid paraffin 15% w/w)</i> | |
| Doxazosin | <i>Tablets</i> | <i>1mg; 2mg; 4mg</i> | Generic |
| Doxepin | <i>Capsules</i> | <i>25mg; 50mg</i> | |
| Doxycycline Hyclate | <i>Capsules</i> | <i>50mg; 100mg</i> | Generic |
| Doxycycline | <i>dispersible sugar free tablet</i> | <i>100mg</i> | Generic |
| Dronedarone | <i>Tablets</i> | <i>400mg</i> | Shared care |
| Duac (benzoyl peroxide/clindamycin) | <i>Gel</i> | <i>3%1%; 5%1%</i> | All pack sizes |
| Duloxetine (as hydrochloride) | <i>Capsules</i> | <i>30mg; 60mg</i> | |
| DYAZIDE | <i>Tablets</i> | | |
| E 45 | <i>Cream</i> | | |
| Econazole | <i>Combipack</i> | | |
| Econazole | <i>Cream</i> | <i>1%</i> | |
| Econazole | <i>Single Dose</i> | | |

| Drug Name | Form | Strength | Other Information |
|--|---|---|-----------------------------|
| | <i>Pessary</i> | | |
| ELLEST | <i>Conti Duet</i> | <i>1mg; 2mg</i> | 90 days |
| Emla | <i>Cream (and dressing)</i> | <i>5g</i> | |
| Emollin | <i>Aerosol</i> | | |
| Empagliflozin | <i>Tablet</i> | <i>10mg, 25mg</i> | 90 days |
| Empagliflozin/metformin | <i>Tablet</i> | <i>5mg/1000mg, 12.5mg/1000mg, 5mg/850mg, 12.5mg/850mg</i> | 90 days |
| Emulsifying | <i>Ointment B.N.F</i> | | |
| Enalapril | <i>Tablets</i> | <i>2.5mg; 5mg; 10mg; 20mg</i> | Generic |
| Enoxaparin | <i>Injection</i> | <i>150mg/ml (1ml syringe)</i> | |
| Enoxaparin | <i>Syringes</i> | <i>20mg; 40mg; 60mg; 80mg; 100mg; 120mg doses</i> | |
| Entacapone | <i>Tablets</i> | <i>200mg</i> | Generic/ Shared care |
| Epaderm | <i>Emulsifying Ointment; Cream</i> | | |
| Ephedrine | <i>Nasal drops BNF</i> | | |
| Ephedrine | <i>Tablets</i> | <i>15mg</i> | |
| Ephedrine | <i>Injection</i> | <i>30mg/ml</i> | |
| Eplerenone | <i>Tablet</i> | <i>25mg; 50mg</i> | Shared care |
| Ergocalciferol | <i>Tablets Capsules</i> | <i>250mcg; 1.25mg</i> | |
| Erythromycin | <i>Tablets</i> | <i>250mg; 500mg</i> | Generic |
| Erythromycin | <i>Suspension</i> | <i>125mg; 250mg; 500mg per 5ml</i> | |
| Erythromycin | <i>Capsules</i> | <i>250mg</i> | |
| Erythromycin & Zinc Acetate | <i>Lotion</i> | | |
| Erythromycin 2% with Isotretinoin 0.05% | Gel | 2%/0.05% | |
| Escitalopram | <i>Tablets</i> | <i>5mg, 10mg, 20mg</i> | Generic only |
| Estradiol | <i>Implants</i> | <i>25mg; 50mg</i> | 90 day |
| Estradiol | <i>Tablets</i> | <i>1 mg; 2mg</i> | 90 day |
| Estradiol | <i>Transdermal</i> | | 90 day |
| Estradiol | <i>Transdermal with Transdermal progestogen</i> | | 90 day |
| Estradiol | <i>Transdermal with Oral progestogen</i> | | 90 day |
| Estradiol | <i>Gel</i> | <i>0.06%</i> | 90 day |
| Estradiol | <i>10 mcg vaginal tablets</i> | | 90 day |
| Estradiol hemihydrate | <i>vaginal delivery system</i> | <i>7.5micrograms/24hours</i> | Reimburse as Estring |

| Drug Name | Form | Strength | Other Information |
|---|--|--|-------------------------|
| | | | 90 day |
| Estradiol and Dydrogesterone | <i>Tablets</i> | 1mg/10mg; 2mg/10mg; 1mg/5mg; 0.5mg/2.5mg | 90 day |
| Estradiol and Dydrogesterone | <i>Tablets</i> | 1/5mg | 90 day |
| Estradiol and Medroxyprogesterone | <i>Tablets</i> | 2mg/20mg | 90 day |
| Estradiol and Medroxyprogesterone | <i>Tablets</i> | 1/ 2.5; 1/5; 2/5 | 90 day |
| Estradiol and Norethisterone | <i>Tablets</i> | 1mg/0.5mg; 1mg/1mg; 2mg/1mg | 90 day |
| Estradiol and norgestrel | <i>Tablets</i> | 2mg/500mcg/2mg | 90 days |
| Estradiol hemihydrate/ nomegestrol acetate | <i>Tablets</i> | 1.5mg/2.5mg | 90 days |
| Estradiol valerate/Dienogest | <i>Tablets</i> | 3mg; 2mg/2mg; 2mg/3mg; 1mg | 90 days |
| Estriol | <i>Cream</i> | 0.01%; 0.1% | 90 day |
| Ethinylestradiol/ desogestrel | <i>Tablets</i> | 20mcg/150mcg 30mcg/150mcg | 90 days |
| Ethinylestradiol/ drospirenone | <i>Tablets</i> | 30mcg/3mg | 90 days |
| Ethinylestradiol/ gestodene | <i>Tablets</i> | 20mcg/75mcg 30mcg/75mcg 30mcg/50mcg 40mcg/70mcg 30mcg/100mcg | 90 days |
| Ethinylestradiol/ levonorgestrel | <i>Tablets</i> | 30mcg/50mcg 30mcg/150mcg 40mcg/75mcg 30mcg/125mcg | 90 days |
| Ethinylestradiol/ norelgestromin | <i>Transdermal patch</i> | 33.9mcg/203mcg in 24 hours | Evra, 90 day |
| Ethinylestradiol/ norgestimate | <i>Tablets</i> | 35mcg/250mcg | 90 days |
| Ethinylestradiol/Etonogestrel | <i>Vaginal ring</i> | 15mcg/120mcg in 24 hours | Nuvaring |
| Ethinylestradiol/norethisterone | <i>Tablets</i> | 20mcg/1mg 30mcg/1.5mg 35mcg/500mcg 35mcg/750mcg 35mcg/1mg | 90 days |
| Ethosuximide | <i>Capsules</i> | 250mg | 90 days |
| Ethosuximide | <i>Oral solution</i> | 250mg per 5ml | 90 days |
| Ethyl chloride | <i>Spray</i> | 50ml | |
| Etonogestrel | <i>Radiopaque flexible rod</i> | 68mg | Nexplanon |
| Evolocumab | solution for injection pre-filled syringes/pre-filled disposable devices | 140mg/mL | Shared care only |
| Exemestane | <i>Tablets</i> | 25mg | |

| Drug Name | Form | Strength | Other Information |
|--------------------------|--|------------------------------------|----------------------|
| Exenatide | <i>Injection – prolonged release</i> | 2mg | Shared care, 90 days |
| Exenatide | <i>Injection</i> | 5mcg/0.02mL, 10mcg/0.04mL | Shared care, 90 days |
| Ezetimibe | <i>Tablets</i> | 10mg | |
| Famciclovir | <i>Tablets</i> | 125mg; 250mg | |
| Febuxostat | <i>Tablets</i> | 80mg, 120mg | |
| Felodipine | <i>Tablets M. R.</i> | 2.5mg; 5mg; 10mg | |
| Fenofibrate (micronised) | <i>Capsules</i> | 67mg; 200mg | |
| Fentanyl CD | <i>Transdermal patch</i> | 12mcg; 25mcg; 50mcg; 75mcg; 100mcg | |
| Fentanyl CD | <i>Injection</i> | 50mcg/ml | |
| FERROGRAD FOLIC | <i>Tablets</i> | | |
| Ferrous Fumarate | <i>Tablets</i> | 210mg | |
| Ferrous Fumarate | <i>Oral solution</i> | 140mg (45mg iron)/5ml | |
| Ferrous Gluconate | <i>Tablets B. PC.</i> | 300mg | |
| Ferrous Sulphate | <i>Tablets B. P</i> | 200mg | Generic |
| Fexofenadine | <i>Tablets</i> | 30mg; 120mg; 180mg | Generic |
| Finasteride | <i>Tablets</i> | 5mg | Generic |
| Flavoxate Hydrochloride | <i>Tablets</i> | 200mg | |
| Flecainide | <i>Tablets</i> | 50mg; 100mg | Generic |
| Flexi-T® + 380 | <i>Intrauterine contraceptive device</i> | | |
| Flexi-T® 300 | <i>Intrauterine contraceptive device</i> | | |
| Flucloxacillin | <i>Capsules</i> | 250mg; 500mg | Generic |
| Flucloxacillin | <i>Injection</i> | 250mg; 500mg pdr in vials | |
| Flucloxacillin | <i>Oral solution</i> | 125mg per 5ml | |
| Flucloxacillin | <i>Oral solution</i> | 250mg per 5ml | |
| Fluconazole | <i>Capsules</i> | 50mg; 150mg; 200mg | Generic |
| Fluconazole | <i>Suspension</i> | 50mg/5ml; 200mg/5ml | |
| Fludrocortisone Acetate | <i>Tablets</i> | 0.1mg | |
| Fludroxycortide | <i>Cream</i> | 0.01% | |
| Fludroxycortide | <i>Ointment</i> | 0.01% | |
| Flumazenil | <i>Injection</i> | 100mcg/ml | |
| Flumetasone/clioquinol | <i>Ear drops</i> | 0.02%/1% | Locorten vioform |
| Fluocinolone | <i>Cream</i> | | |
| Fluocinolone | <i>Gel</i> | | |
| Fluocinolone | <i>Ointment</i> | | |
| Fluocinolone | <i>Cream</i> | 1 in 4 dilution | |
| Fluocinolone | <i>Cream</i> | 1 in 10 dilution | |
| Fluocinolone | <i>Ointment</i> | 1 in 4 dilution | |
| Fluocortolone | <i>Cream</i> | | |
| Fluocortolone | <i>Ointment</i> | | |

| Drug Name | Form | Strength | Other Information |
|--|--------------------------|--|-----------------------------|
| Fluorescein | Minims | 2% | |
| Fluorescein | Strips | 1mg | |
| Fluorometholone | Eye drops | 0.10% | |
| Fluorouracil | Cream | 5% | |
| Fluoxetine | Oral solution | 20mg/5ml | |
| Fluoxetine | Capsules | 20mg | Generic |
| Flupentixol | Tablets | 0.5mg; 1mg | |
| Flupentixol | Injection (IM) | 20mg/ml; 50mg/0.5ml; 100mg/1 ml; 200mg/ml | |
| Fluphenazine | Injection | 25mg/ml; 50mg/0.5ml; 100mg/ml | |
| Flurazepam | Capsules | 15mg; 30mg | |
| Flurbiprofen | Tablets | 50mg; 100mg | |
| Fluticasone | Accuhaler | 50mcg; 100mcg; 250mcg; 500mcg pack | |
| Fluticasone | Aerosol Inhaler | 50mcg; 125mcg; 250mcg | Generic |
| Fluticasone | Nebules | 0.5mg/2ml; 2mg/2ml | |
| Fluticasone | Nasal drops | 400 mcg/unit dose | |
| Fluticasone / Salmeterol | Accuhaler | 100; 250; 500 mcg | |
| Fluticasone / Salmeterol | Metered Dose Inhaler | 50; 125; 250mcg | |
| Fluticasone Furoate | Actuation nasal spray | 27.5 mcg | |
| Fluticasone/Formoterol (Flutiform) | Aerosol Inhaler | 50/5mcg; 125/5mcg; 250/10mcg (120 dose unit inhaler) | Brand Specific Flutiform |
| Flutiform (fluticasone/formoterol) | Aerosol Inhaler | 50/5mcg; 125/5mcg; 250/10mcg (120 dose unit inhaler) | Brand Specific Flutiform |
| Fluticasone furoate/vilanterol (brand name Relvar Ellipta) | Dry powder inhaler | 92mcg/22mcg, 184mcg/22mcg | |
| | | | |
| Fluticasone + umeclidinium + vilanterol | dry powder inhaler | 92mcg/55mcg/22mcg per dose | Trelegy Ellipta |
| Fluvastatin | Capsules | 20mg; 40mg; | |
| Fluvastatin | Tablets MR | 80mg | |
| Fluvoxamine | Tablets | 50mg; 100mg | |
| Folic Acid | Tablets B.P. | 5mg | Generic |
| Folic Acid | Liquid | 2.5mg/5ml | |
| Formoterol | Turbohaler | 6mcg; 12mcg | |
| Formoterol | CFC Free MDI | 12mcg | |
| Formoterol/budesonide | Dry powder inhaler | 100; 200mcg; 400mcg | Symbicort Turbohaler |

| Drug Name | Form | Strength | Other Information |
|--|--|---|---|
| Formoterol/budesonide | Dry powder inhaler | 160mcg/4.5mcg, 320mcg/9mcg | DuoResp Spiromax |
| Formoterol/fluticasone (Flutiform) | Aerosol Inhaler | 50/5mcg; 125/5mcg; 250/10mcg (120 dose unit inhaler) | Brand Specific Flutiform |
| Formoterol fumarate with beclometasone dipropionate with | metered-dose aerosol inhaler; dry powder inhaler | 100mcg/6mcg, 200mcg/6mcg per dose | Fostair, Fostair Nexthaler |
| Fosinopril | Tablets | 10mg; 20mg | Generic |
| Frovatriptan | Tablets | 2.5 mg | |
| FUCIBET | Cream | | |
| Furosemide | Tablets | 20mg; 40mg | Generic |
| Furosemide | Tablets | 500mg | Generic |
| Furosemide | Liquid | 40mg/5ml; 1mg/ml | Generic |
| Furosemide | Injection | 20mg/2ml; 250mg/25ml | Generic |
| Fusidic Acid | Eye Drops | 1% | |
| Gabapentin | Capsules | 100mg; 300mg; 400mg | Generic |
| Galantamine | Capsules M/R | 8mg; 16mg; 24mg | Generic/Shared care |
| GAVISCON | Liquid | | |
| GAVISCON | Paediatric Powder | 2g Sachets | |
| GAVISCON ADVANCE | Liquid | | |
| GAVISCON ADVANCE | Tablets | | |
| Gemfibrozil | Capsules | 300mg | Generic |
| Gentamicin | Ear/Eye Drops | 0.30% | |
| Gentamicin | Ear Drops with Hydrocortisone | | |
| Glandosane | Aerosol spray | | ACBS indications only |
| Glibenclamide | Tablets | 5mg; 2.5mg | Generic/90 days |
| Gliclazide | Tablets | 40mg, 80mg | Generic/90 days |
| GLUCAGEN | Injection Kit | 1mg | 90 days |
| Glucose | Infusion | 5% all volumes; 10% - 500ml; 20% - 500ml; 50% - 500ml | |
| Glucose | Injection | 25%-10ml; 50%-50ml | |
| Glutaraldehyde | Application | 10% -10ml | |
| Glycerol | Suppositories | 1g; 2g; 4g | |
| Glyceryl Trinitrate | Tablets B. P | 0.3mg; 0.5mg; 0.6mg | |
| Glyceryl Trinitrate | Spray | | |
| Glyceryl Trinitrate | Rectal Ointment | 0.40% | |
| Glyceryl Trinitrate | Infusion | 50mg/10ml | |
| Glyceryl Trinitrate (GTN) | Patch | 5mg/24 hours; 10mg/24 hours | |
| Glycopyrronium bromide | capsules for inhalation using SeeBri | 55 micrograms | |

| Drug Name | Form | Strength | Other Information |
|---|--|--|-------------------|
| | Breezhaler | | |
| Glycopyrronium bromide/indacaterol maleate | capsules for inhalation via the Ultibro Breezhaler device | 85mcg/54mcg | |
| Glycopyrronium bromide | <i>Injection</i> | <i>200 mcg/ml 1mL, 3mL amps (open order)</i> | |
| Goserelin | <i>Implant</i> | <i>3.6mg; 10.8mg</i> | |
| Griseofulvin | <i>Suspension</i> | <i>125mg/5ml</i> | |
| GyneFix® | <i>Intrauterine contraceptive device</i> | | |
| Haloperidol | <i>Capsules</i> | <i>0.5mg</i> | Generic |
| Haloperidol | <i>Injection</i> | <i>5mg per ml</i> | |
| Haloperidol | <i>Tablets</i> | <i>1.5mg; 5mg; 10mg</i> | Generic |
| Haloperidol | <i>Oral liquid</i> | <i>2mg/ml</i> | |
| Haloperidol | <i>Injection (IM)</i> | <i>100mg/ml</i> | |
| <i>Helicobacter test INFAI (brand only)</i> | | | |
| Heparin Calcium | <i>Injection</i> | <i>5000 i.u./0.2ml</i> | |
| Heparin Sodium | <i>Injection (multi-dose)</i> | <i>1,000; 5,000; All amp sizes 25,000 units in 1ml</i> | |
| Hepatitis B vaccine | <i>Injection</i> | <i>10mcg/0.5mL 10mcg/1mL; 20 mcg/1mL</i> | |
| Hexetidine | <i>Solution</i> | | |
| Hyaluronidase | <i>Injection</i> | <i>1500 units</i> | |
| Hydralazine | <i>Tablets</i> | <i>25mg, 50mg</i> | Generic |
| Hydrocortisone | <i>Pellets</i> | <i>2.5mg</i> | |
| Hydrocortisone | <i>Cream and Ointment</i> | <i>0.5%; 1.0%; 2.5%</i> | Generic |
| Hydrocortisone | <i>Foam</i> | | |
| Hydrocortisone | <i>Injection</i> | <i>100mg</i> | |
| Hydrocortisone | <i>Injection</i> | <i>100mg/ml</i> | |
| Hydrocortisone | <i>Tablets</i> | <i>10mg; 20mg</i> | |
| Hydrocortisone | <i>Suspension for injection</i> | <i>25mg/ml</i> | |
| Hydrocortisone-17-Butyrate | <i>Cream</i> | | |
| Hydrocortisone-17-Butyrate | <i>Ointment</i> | | |
| Hydrocortisone-17-Butyrate | <i>Lipocream</i> | | |
| Hydrocortisone-17-Butyrate | <i>Scalp Lotion</i> | | |
| Hydrogen peroxide | <i>Cream</i> | <i>1%</i> | |
| Hydrous Ointment BP | | | |
| Hydroxocobalamin | <i>Injection</i> | <i>1,000mcg per 1ml ampoule</i> | |
| Hydroxychloroquine | <i>Tablets</i> | <i>200mg</i> | |
| Hydroxyzine | <i>Tablets</i> | <i>10mg; 25mg</i> | |

| Drug Name | Form | Strength | Other Information |
|--|--|-------------------------|---|
| Hyoscine Butylbromide | Tablets | 10mg; | |
| Hyoscine Butylbromide | Injection | 20mg/ml | |
| Hyoscine Hydrobromide | Injection | 400mcg; 600mcg | |
| Hyoscine Hydrobromide | Tablets | 300mcg | |
| Hyoscine Hydrobromide | Patch | 1mg/72 hours | For palliative care only |
| Hypromellose | Eye drops Preservative free eye drops | 0.3%; 0.5% 1.0% 0.3% | |
| Ibandronic Acid | Tablets | 150mg | Generic |
| Ibuprofen | Suspension Sugar Free | 100mg/5ml | |
| Ibuprofen | Tablets | 200mg; 400mg; 600mg | Generic |
| Ibuprofen | Tablets M. R. | 800mg | |
| Ibuprofen | Gel | 5%, 10% | Open Order |
| Ichthammol | Ointment | | |
| Imipramine | Tablets | 10mg; 25mg | Generic |
| Indacaterol maleate/glycopyrronium bromide | capsules for inhalation via the Ultibro Breezhaler device | 85mcg/54mcg | |
| Indacaterol Dry Powder | Capsules | 150mcg; 300mcg | Open Order |
| Indapamide | Tablets | 2.5mg | Generic |
| Indapamide | Tablets M/R | 1.5mg | |
| Indometacin | Capsules | 25mg; 50mg | Generic |
| Indometacin | Suppositories | 100mg per suppository | Generic |
| Indometacin | Capsules m/r | 75mg | Generic |
| Instillagel | Syringe | 6ml & 11ml | |
| INSULIN PREPARATIONS | <i>All preparations</i> | | 90 days |
| Insulin degludec/liraglutide | <i>Solution for injection pre-filled pen</i> | 100IU/3.6mg per mL | 90 days |
| Intrauterine contraceptive device | | | Ancora® 375 Ag Ancora® 375 Cu Copper T 380A® Cu-Safe® T300 Flexi-T® 300 Flexi-T® + 380 GyneFix® Load® 375 Mini TT 380® Slimline Multiload® Cu375 Multi-Safe® 375 Multi-Safe® 375 Short Stem Neo-Safe® T380 Novaplus T 380® Ag Novaplus T 380® Cu Nova-T® 380 T-Safe® 380A |

| Drug Name | Form | Strength | Other Information |
|---|-------------------------------|---------------------------------|--|
| | | | QuickLoad TT 380® Slimline UT 380 Short® UT 380 Standard® |
| Iodine | <i>Solution B. P</i> | | |
| Ipratropium Bromide | <i>Aerosol Inhaler</i> | 20mcg | |
| Ipratropium Bromide | <i>Solution</i> | 0.25mg per ml (1 and 2ml vials) | |
| Ipratropium Bromide | <i>Aqueous Nasal spray</i> | 0.03% 21mcg | |
| Irbesartan | <i>Tablets</i> | 75mg; 150mg; 300mg | Generic |
| Iron Dextran | <i>Injection</i> | | |
| Iron Sucrose | <i>Injection</i> | 100mg/5ml | |
| ISOPTO PREPARATIONS | <i>Alkaline</i> | 1% Hypromellose | |
| ISOPTO PREPARATIONS | <i>Plain</i> | Eye Drops 0.5% Hypromellose | |
| Isosorbide Dinitrate | <i>Tablets</i> | 10mg; 20mg | Generic |
| Isosorbide Mononitrate | <i>Capsules MR</i> | 25mg; 40mg; 60mg | |
| Isosorbide Mononitrate | <i>Tablets</i> | 10mg; 20mg; 40mg | Generic |
| Isosorbide Mononitrate | <i>Tablets S. R.</i> | 40mg | |
| Isotretinoin | <i>Gel</i> | 0.05% | |
| Isotretinoin 0.05% with Erythromycin 2% | <i>Gel</i> | 0.05%/2% | |
| Ispaghula Husk | <i>Granules</i> | <i>Single Dose Sachets</i> | |
| Itraconazole | <i>Capsules</i> | 100mg (including pulse therapy) | Generic |
| Itraconazole | <i>Oral Liquid</i> | 50mg/5ml | |
| Ivabradine | <i>Tablets</i> | 5mg; 7.5mg | |
| Ketoconazole | <i>Cream</i> | 2% | |
| Ketoconazole | <i>Shampoo</i> | 2% | |
| Ketoprofen | <i>Capsules</i> | 50mg | |
| Ketoprofen | <i>S.R. Capsules</i> | 100mg; 200mg | Generic |
| Ketoprofen | <i>Gel</i> | 50g | |
| Ketovite | <i>Tablets</i> | | |
| Ketovite | <i>Liquid</i> | | |
| Klean-Prep | <i>Sachets</i> | | |
| Labetalol | <i>Tablets</i> | 100mg; 400mg | |
| Labetalol | <i>Injection</i> | 100mg/20ml | |
| Lactulose | <i>Oral solution</i> | 3.1g - 3.7g per 5ml | |
| Lamotrigine | <i>Tablets</i> | 25; 50; 100; 200mg | 90 days |
| Lamotrigine | <i>Dispersible Tablets</i> | 2; 5; 25; 100mg | 90 days |
| Lansoprazole | <i>Capsules</i> | 15mg; 30mg | Generic |
| Lansoprazole | <i>Orodispersible Tablets</i> | 15mg; 30mg | Generic |
| Latanoprost | <i>Eye drops</i> | | Generic |
| Latanoprost (Monoprost) | <i>Single use eye drops</i> | 50mcg/ml | |
| Latanoprost/Timolol | <i>Eye Drops</i> | 50mcg/5mg per ml | Generic |
| Lercanidipine Hydrochloride | <i>Tablets</i> | 10mg; 20mg | |

| Drug Name | Form | Strength | Other Information |
|-------------------------------------|---------------------------------------|---|--|
| Letrozole | Tablets | 2.5mg | Generic |
| Levetiracetam | Tablets | 250mg; 500mg; 750mg | 90 days |
| Levetiracetam | Oral solution | 500mg/5ml | 90 days |
| Levetiracetam | Injection | 500mg/5mL | For use in accordance with palliative care guidelines only |
| Levobunolol | Eye drops | 0.5% | |
| Levobunolol with polyvinyl alcohol | Preservative-free eye drops | 0.5% | |
| Levobupivacaine | Injection | 0.25%; 0.5%; 0.75% | |
| Levodopa/carbidopa/entacapone | Tablets | 50mg/12.5mg/200mg; 75/18.75/200mg; 100mg/25mg/200mg; 125/31.75/200mg; 150mg/37.5mg/200mg; 175mg/43.75mg/200mg; 200mg/50mg/200mg | All Shared care |
| Levomepromazine | Tablets | 25mg | |
| Levomepromazine | Injection | 25mg per ml | |
| Levonorgestrel | Tablets | 1.5mg | |
| Levonorgestrel | Tablets | 30mcg | 90 days |
| Levonorgestrel | Intra-uterine system | 20 mcg/24 hours | Mirena |
| Levonorgestrel | Intrauterine device | 13.5mg | Jaydess |
| Levothyroxine Sodium | Tablets | 25mcg; 50mcg; 75mcg; 100mcg | Generic/ 90 days |
| Lidocaine | Injection | 0.5%; 1%; 2% plain | |
| Lidocaine | Injection with Adrenaline | 0.5%; 1%; 2% | |
| Lidocaine | Gel | 2% | |
| Lidocaine | Ointment | 5% | |
| Lidocaine | Topical | 4% | |
| Lidocaine/Phenylephrine | Nasal Spray | 5% | |
| Linagliptin | Tablet | 5mg | 90 days |
| Linagliptin/metformin | Tablet | 2.5mg/850mg; 2.5mg/1000mg | 90 days |
| Liothyronine | Tablets | 20mcg | 90 days |
| Liraglutide/Insulin degludec | Solution for injection pre-filled pen | 3.6mg/100IU | 90 days |
| Liquid Paraffin | Eye Ointment | | |
| Liquifilm Tears (preservative free) | Eye drops | Polyvinyl alcohol 1.4%, Povidone 0.6% per 0.4mL unit dose | |
| Liraglutide | Injection (6mg/ml) | 2x3mL pre-filled pen, 3x3mL pre-filled pen | 90 days |
| Lisinopril | Tablets | 2.5mg; 5mg; 10mg; 20mg | Generic |

| Drug Name | Form | Strength | Other Information |
|-----------------------------------|---|---|---|
| Lithium Carbonate | Tablets | 250mg | Shared care |
| Lithium Carbonate | Tablets m/r | 200mg; 400mg; 450mg | |
| Lithium Citrate | Liquid | 400mg (equivalent to 200mg/5ml Lithium carbonate) | Shared care |
| Load [®] 375 | Intrauterine contraceptive device | | |
| Lofepamine | Tablet | 70mg | Generic |
| Lofepamine | Oral solution | 70mg/5ml | |
| Lofexidine | Tablets | 200mcg | Requires endorsement by Alcohol and Drug Service |
| Loperamide | Capsules | 2mg | Generic |
| Loperamide | Oral solution | 1 mg per 5ml | |
| Loratadine | Oral solution | 5mg/5ml | Generic |
| Loratadine | Tablets | 10mg | Generic |
| Lorazepam | Tablets | 1mg | Generic |
| Lorazepam | Injection | 4mg/ml | |
| Losartan | Tablets | 25mg; 50mg; 100mg | |
| Lymecycline | Capsules | 408mg | |
| Macrogol compound oral powder | Oral powder NPF sugar free | Sachets | Generic |
| Magnesium hydroxide mixture BP | Aqueous suspension | | |
| Magnesium Sulphate | Paste | B.N.F | |
| Magnesium Sulphate | Injection | 50%, 1g in 2ml | |
| Magnesium Sulphate | BPC Mixture | 4g/10ml | |
| Malathion | Aqueous Liquid | | |
| Measles, mumps, rubella | Injection | | For 'catch up' immunisation |
| Mebendazole | Tablets | 100mg | |
| Mebendazole | Suspension | 100mg/5ml | |
| Mebeverine | Capsules MR | 200mg | |
| Mebeverine | Tablets | 135mg | Generic |
| Mebeverine | Liquid Sugar Free | | |
| Medroxyprogesterone | Tablets | 200mg | |
| Medroxyprogesterone | Pre-filled syringe, vial | 150mcg/mL | Depo-Provera |
| Medroxyprogesterone Acetate | Tablets | 5mg; 10mg | |
| Medroxyprogesterone acetate | Prefilled device | 104 mg/0.65 mL | Sayana Press |
| Mefenamic Acid | Capsules | 250mg | Generic |
| Mefenamic Acid | Tablets Forte | 500mg | Generic |
| Megestrol | Tablets | 160mg | |
| Meloxicam | Tablets | 7.5mg; 15mg | Generic |
| Memantine | Tablets | 10mg | Shared care |

| Drug Name | Form | Strength | Other Information |
|--|---|---|-------------------------|
| Memantine | Oral drops | 10mg/g | |
| Menadiol | Tablets | 10mg | |
| Menthol | in aqueous cream | 0.5%; 1%; 2% | Generic |
| Menthol B.P. | | | |
| Mercaptopurine | Tablets | 50mg | Shared care |
| Mesalazine | Tablets MR | 400mg; 800mg | |
| Mesalazine | Tablets MR | 500mg; 1g | |
| Mesalazine | Suppositories | 500mg | |
| Mesalazine | Granules m/r | 1g; 2g sachet (Open order) | |
| Mesalazine | Gastro-resistant modified-release tablets | 1.2g | |
| Mesalazine | Foam enema | | |
| Mestranol/ norethisterone | Tablets | 50mcg/1mg | 90 days |
| Metformin | Tablets | 500mg; 850mg | Generic/ 90 days |
| Metformin | M/r tablets | 500mg, 750mg, 1g | 90-day |
| Metformin | oral powder | 500 mg/sachet, 1g/sachet | 90 days |
| Metformin/canagliflozin | Tablet | 850mg/50mg, 1g/50mg | 90 days |
| Metformin/dapagliflozin | Tablet | 850mg/5mg, 1g/5mg | 90 days |
| Metformin/empagliflozin | Tablet | 5mg/1000mg, 12.5mg/1000mg, 5mg/850mg, 12.5mg/850mg | 90 days |
| Metformin/linagliptin | Tablet | 850mg/2.5mg; 1000mg/2.5mg | 90 days |
| Metformin/pioglitazone | Tablets | 850mg/15mg | 90 days |
| Methenamine hippurate (hexamine hippurate) | Tablet | 1g | |
| Methotrexate | Tablets | 2.5mg | Generic/ Shared care |
| Methotrexate | Pre-filled Pen injection device | All strengths brand Metoject | Shared care |
| Methyl Salicylate | Ointment | B.P | |
| Methyldopa | Tablets | 125mg; 250mg; 500mg | |
| Methylprednisolone | Injection | 40mg per ml | |
| Methylprednisolone | Pre-filled syringe | | |
| Methylprednisolone | Injection with Lidocaine | 40mg per ml | |
| Methylprednisolone sodium succinate | Tablets | 100mg | |
| Methylprednisolone sodium succinate | Injection | 125mg; 500mg; 1g | |
| Metoclopramide | Injection | 10mg per 2ml ampoule | |
| Metoclopramide | Oral solution | 5mg/ml | Generic |

| Drug Name | Form | Strength | Other Information |
|--------------------------------|-----------------------------------|---|---|
| | (sugar free) | | |
| Metoclopramide | Tablets | 10mg | Generic |
| Metoprolol Tartate | Tablets | 50mg; 100mg | |
| Metronidazole | Tablets | 200mg; 400mg | Generic |
| Metronidazole | Suspension | 200mg per 5ml | |
| Metronidazole | Gel | 0.8% - 30g 0.75% - 40g | |
| Metronidazole | Cream | 0.75% - 30g | |
| Metronidazole | Suppositories | 500mg; 1g | |
| Metronidazole | Infusion | 500mg/100ml | |
| Mianserin Hydrochloride | Tablets | 10mg, 30mg | Generic |
| Miconazole | Cream | 2% | |
| Miconazole | Oral Gel | 25mg per ml | |
| Miconazole | Cream with Hydrocortisone | | |
| Miconazole | Ointment with Hydrocortisone | | |
| Miconazole | Spray Powder | | |
| Microenemas | 5ml disposable enemas | | |
| Midazolam | Injection | 5mg/ml | |
| Midazolam | oromucosal solution (Buccolam) | 2.5mg, 5mg, 7.5mg, 10mg in pre-filled syringe | For use in palliative care (unlicensed indication) and the treatment for prolonged, acute, convulsive seizures in children and adolescents (from three months to <18 years) |
| Mini TT 380® Slimline | Intrauterine contraceptive device | | |
| Minocycline | Tablets | 50mg; 100mg | Generic |
| Minocycline | Capsules MR | 100mg | |
| Minoxidil | Tablets | 5mg | |
| Mirabegron | Tablets m/r | 25mg; 50mg | |
| Mirtazapine | Tablets | 15mg; 30mg; 45mg | Generic |
| Mirtazapine | Oro-dispersible tablets | 15mg; 30 mg; 45mg | Generic |
| Misoprostol | Tablets | 200mcg | |
| Misoprostol/Diclofenac | Tablets | 200mcg/50mg | |
| Moclobemide | Tablets | 150mg | |
| Moclobemide | Tablets | 300mg | |
| Mometasone Furoate | Cream, ointment | 0.1% | Generic |
| Mometasone | Nasal Spray | 50mcg/spray | Generic |
| Montelukast | Tablets chewable | 4mg; 5mg | Generic |
| Montelukast | Tablets | 10mg | Generic |
| Montelukast | Granules (as sodium salt) | 4mg sachets | Generic |
| Morphine Sulphate | CD Injection | 10mg; 15mg; 20mg; | |

| Drug Name | Form | Strength | Other Information |
|------------------------------------|-----------------------------------|---|--|
| | | 30mg per ml | |
| Morphine Sulphate | CD Suppositories | 15mg; 30mg per suppository | |
| Morphine Sulphate | CD Tablets S.R | 5mg; 10mg; 15mg; 30mg; 60mg; 100mg; 200mg | Generic |
| Morphine Sulphate | Oral Solution | 10mg / 5ml | |
| Morphine Sulphate | CD Oral Solution Concentrate | 100mg/5ml | |
| Morphine Sulphate | CD Tablets | 10mg; 20mg; 50mg | |
| Morphine Sulphate | CD Suspension | 20mg/ml | |
| Morphine Sulphate | CD Suspension M/R | All strengths | |
| Mouthwash Solution | Tablets | | |
| Movicol Half Movicol Paediatric | Oral powder | Sachets | |
| Mucin (Artificial Saliva) | Lozenges | | |
| Mucin (Artificial Saliva) | Spray (refill not allowed) | | |
| Multiload® Cu375 | Intrauterine contraceptive device | | |
| Multi-Safe® 375 | Intrauterine contraceptive device | | |
| Multi-Safe® 375 ShortStem | Intrauterine contraceptive device | | |
| Multivitamin | Oral drops | | |
| Mycophenolate mofetil | Capsule | 250mg, | Shared care |
| Mycophenolate mofetil | Tablet | 500mg, | |
| Mycophenolate mofetil | Oral suspension | 1g/5ml | |
| Mycophenolic Acid | e/c Tablets | 180mg; 360mg | Shared care |
| Nabumetone | Tablets | 500mg | |
| Naftidrofuryl | Capsules | 100mg | |
| Nalmefene | Tablets | 18mg | A&DS |
| Naloxone | Injection | 400 mcg/ml | |
| Naltrexone | Tablets | 50mg | Requires endorsement by Alcohol and Drug Service |
| Naproxen | Tablets | 250mg; 500mg | Generic |
| Naratriptan | Tablets | 2.5mg | Generic |
| Naseptin | Cream | 0.1%/0.5% | |
| Nedocromil Sodium | Eye drops | 2% | |

| Drug Name | Form | Strength | Other Information |
|---|--|-------------------------------------|--------------------------|
| Nefopam | <i>Tablets</i> | <i>30mg</i> | |
| Neo-Safe® T380 | <i>Intrauterine contraceptive device</i> | | |
| Neostigmine | <i>Tablets</i> | <i>15mg</i> | |
| Neostigmine | <i>Injection</i> | <i>2.5mg/ml</i> | |
| Nicorandil | <i>Tablets</i> | <i>10mg; 20mg</i> | |
| Nifedipine | <i>Capsules</i> | <i>5mg; 10mg</i> | Generic |
| Nifedipine | <i>Retard Tablets</i> | <i>10mg; 20mg</i> | |
| Nifedipine | <i>Tablets L.A.</i> | <i>20mg; 30mg; 60mg</i> | |
| Nimodipine | <i>Tablets</i> | <i>30mg</i> | |
| Nimodipine | <i>Injection</i> | <i>10mg/50ml</i> | |
| Nitrazepam | <i>Tablets</i> | <i>5mg</i> | Generic |
| Nitrofurantoin | <i>Capsules MR</i> | <i>100mg</i> | |
| Nitrofurantoin | <i>Tablets</i> | <i>50mg; 100mg</i> | |
| Nitrofurantoin | <i>Suspension</i> | <i>25mg/5ml</i> | |
| Norethisterone | <i>Tablets</i> | <i>1mg; 5mg</i> | |
| Norethisterone | <i>Tablets</i> | <i>350mcg</i> | 90 days |
| Norethisterone enantate | <i>Amp</i> | <i>200mg/mL</i> | Noristerat |
| Nortriptyline | <i>Tablets</i> | <i>10mg, 25mg</i> | |
| Novaplus T 380® Ag | <i>Intrauterine contraceptive device</i> | | |
| Novaplus T 380® Cu | <i>Intrauterine contraceptive device</i> | | |
| Nova-T® 380 | <i>Intrauterine contraceptive device</i> | | |
| Nystatin/chlorhexidine | <i>Ointment, Cream</i> | <i>100.000 units per gram/1%</i> | |
| Nystatin/Chlorhexidine/Hydrocortisone | <i>Cream</i> | <i>100,000unitsper gram/1%/0.5%</i> | |
| Nystatin Oral | <i>Sugar Free Suspension</i> | <i>100,000 units per ml</i> | |
| Nystatin Oral | <i>Suspension</i> | <i>100,000 units per ml</i> | |
| Oestrogens conjugated | <i>Tablets</i> | <i>0.3mg; 0.625mg; 1.25mg</i> | 90 days |
| Oestrogens conjugated/ medroxyprogesterone | <i>M/R Tablets</i> | <i>0.3mg/1.5mg</i> | 90 days |
| Ofloxacin | <i>Tablets</i> | <i>200mg; 400mg</i> | Generic |
| Oilatum | <i>Emollient</i> | | |
| Oilatum Junior Bath Additive | <i>Emollient</i> | | |
| Oilatum | <i>Cream</i> | | |
| Oilatum Plus | | | |
| Oily Cream | | <i>B.N.F</i> | |

| Drug Name | Form | Strength | Other Information |
|-----------------------------|--|--|---|
| Olanzapine | Tablets | 2.5mg; 5mg; 7.5mg; 10mg; 15mg; 20mg | Generic/ Shared care |
| Olanzapine | Dispersible Tablets | 5mg; 10mg; 15mg; 20mg | Generic |
| Olodaterol/tiotropium | pressurised inhaler | 2.5mcg/2.5mcg | Spiolto Respimat |
| Olopatadine | Eye drops | 0.1% | |
| Olsalazine | Capsules | 250mg | |
| Omeprazole | Capsules Orodispersible tablet | 10mg; 20mg 10mg | Generic Use in children only |
| Ondansetron | Tablets | 4mg, 8mg | Generic / Short term use only |
| Ondansetron | Injection | 4mg/2ml; 8mg/4ml | Short term use only |
| Ondansetron | Oral lyophilistates | 4mg; 8mg | |
| Ondansetron | Oral solution | 4mg/5ml | |
| Ondansetron | Suppositories | 16mg | |
| Orphenadrine | Tablets | 50mg | |
| Orphenadrine | Oral solution | 50mg/5ml | |
| Oseltamivir | Capsules | 30mg, 45mg, 75mg | May only be prescribed during influenza epidemic as notified by the Consultant Microbiologist |
| Oseltamivir | Oral suspension sugar free Oral solution sugar free | 6mg/mL 15mg/mL | May only be prescribed during influenza epidemic as notified by the Consultant Microbiologist |
| Otrivine-Antistin | Eye drop | 0.5%/0.05% | |
| Oxazepam | Tablets | 10mg; 15mg | Generic |
| Oxcarbazepine | Tablets | 300mg | |
| Oxerutins | Capsules | 250mg | |
| Oxprenolol | Tablets | 20mg; 40mg; 80mg | |
| Oxprenolol | Tablets S.R. | 160mg | |
| Oxybutynin | Tablets | 2.5mg; 5mg | Generic |
| Oxybutynin | Tablets MR | 5mg; 10mg | |
| Oxybutynin | Elixir | 2.5mg/5ml | |
| Oxybutynin | Transdermal patch | 3.9mg/24h | |
| OXYCODONE / NALOXONE | Tablets mr | 5/2.5mg; 10/5mg; 20/10mg; 40/20mg | |
| Oxycodone CD | Capsules | 5mg; 10mg; 20mg | Generic |
| Oxycodone CD | Liquid | 5mg/5ml; 10mg/1ml | |
| Oxycodone CD | Tablets MR | 5mg, 10mg, 20mg, 30mg, 40mg, 80mg | Generic |

| Drug Name | Form | Strength | Other Information |
|-----------------------------------|--|--|----------------------------|
| Oxycodone hydrochloride CD | <i>Injection</i> | 10 mg/ml – 1ml, 2mL amp; 50mg/mL – 1mL amp | |
| Oxytetracycline | <i>Tablets</i> | 250mg | Generic |
| Pancreatin | <i>Capsules</i> | 430 BP units | |
| Pancreatin | <i>Capsules</i> | 125mg | |
| Pancreatin | <i>Powder</i> | 1400 BP units | |
| Pancreatin | <i>Tablets</i> | 110 BP units | |
| Pancreatin | <i>Tablets forte</i> | 330 BP units | |
| Pancreatin | <i>Capsules</i> | 10,000; 25,000; 40,000 | |
| Pancreatin | <i>Granules</i> | | |
| Pantoprazole | <i>Tablets e/c</i> | 20mg; 40mg | Generic |
| Pantoprazole | <i>Injection</i> | 40mg | |
| Paracetamol | <i>Paediatric Elixir BP1988</i> | | |
| Paracetamol | <i>Tablets BP</i> | 500mg | Generic |
| Paracetamol | <i>Sugar Free Paediatric Suspension</i> | 120mg per 5ml | |
| Paracetamol | <i>Sugar Free Oral Suspension</i> | 250mg per 5ml | |
| Paracetamol | <i>Soluble Tablets</i> | 500mg | Generic |
| Paracetamol | <i>Suppositories</i> | 120mg; 125mg; 240mg; 500mg | |
| Paraffin | <i>Ointment</i> | B.P. | |
| Paraffin | <i>Soft</i> | B.P. | |
| Paroxetine | <i>Liquid</i> | 20mg/10ml | |
| Paroxetine | <i>Tablets</i> | 20mg; 30mg | Generic |
| Peak Flow Meters | <i>Standard/low range</i> | BNF | |
| Peak Flow Meters | <i>Replacement mouthpieces</i> | | |
| Penicillin: Penicillin V | <i>Tablets</i> | 250mg | Generic |
| Penicillin: Penicillin V | <i>Oral Solution</i> | 125mg/5ml; 250mg/5ml | |
| Pentazocine CD | <i>Tablets</i> | 25mg | |
| Pentoxifylline | <i>Tablets</i> | 400mg | |
| Peppermint Oil | <i>M/r Capsules M/r e/c capsules</i> | 0.2ml | |
| Pergolide | <i>Tablets</i> | 50 mcg; 250 mcg; 1mg | Generic/Shared care |
| Pericyazine | <i>Tablets</i> | 2.5mg; 10mg | |
| Permethrin | <i>Dermal Cream</i> | 5% | |
| Perphenazine | <i>Tablets</i> | 2mg; 4mg | |
| Pethidine CD | <i>Injection B.P.</i> | 50mg; 100mg ampoules | |
| Pethidine CD | <i>Tablets B.P.</i> | 50mg | |
| Phenelzine | <i>Tablets</i> | 15mg | |
| Phenindione | <i>Tablets</i> | 10mg; 25mg; 50mg | Generic |

| Drug Name | Form | Strength | Other Information |
|------------------------|---------------------------------|-----------------------------|-----------------------------|
| Phenobarbital | <i>Elixir</i> | 15mg/5mL | 90 days |
| Phenobarbital | <i>Tablets B P</i> | 15mg; 30mg; 60mg | Generic/ 90 days |
| Phenol | <i>Gargle</i> | <i>B.N.F</i> | |
| Phenoxybenzamine | <i>Capsules</i> | 10mg | |
| Phentolamine | <i>Injection</i> | 10mg/ml | |
| Phenylephrine | <i>Minims</i> | 2.5%; 10% | |
| Phenytoin | <i>Capsules</i> | 25mg; 50mg; 100mg; 300mg | 90 days |
| Phenytoin | <i>Infatabs</i> | 50mg | 90 days |
| Phenytoin | <i>Suspension</i> | 30mg per 5ml | 90 days |
| Phenytoin | <i>Injection</i> | 250mg/5ml | |
| Pholcodine | <i>Linctus</i> | 5mg / 5ml | |
| Pholcodine | <i>Linctus Forte</i> | 10mg / 5ml | |
| Pholcodine | <i>Linctus Sugar Free</i> | 5mg / 5ml | |
| Pholcodine | <i>Linctus Forte Sugar Free</i> | 10mg / 5ml | |
| Phosphate | <i>Enema</i> | | |
| Phosphate | <i>Effervescent Tablet</i> | 500mg | Generic |
| Phosphates | <i>Infusion</i> | 500ml | |
| Phosphates | <i>Injection for slow IV</i> | | |
| Phytomenadione | <i>IV admin</i> | 2mg/0.2ml | |
| Phytomenadione | <i>Injection or infusion</i> | 10mg | |
| Pilocarpine | <i>Eye Drops</i> | <i>All strengths</i> | |
| Pilocarpine | <i>Tablets</i> | 5mg | |
| Pilocarpine | <i>Minims</i> | 2%; 4% | |
| Pimecrolimus | <i>Cream</i> | 1% | |
| Pimozide | <i>Tablets</i> | 4mg | |
| Pioglitazone | <i>Tablets</i> | 15mg; 30mg; 45mg | 90 days |
| Pioglitazone/Metformin | <i>Tablets</i> | 15mg/ 850mg | 90 days |
| Piroxicam | <i>Capsules</i> | 10mg, 20mg | |
| Pivmecillinam | <i>Tablets</i> | 200mg | |
| Pizotifen | <i>Tablets</i> | 0.5mg; 1.5mg | Generic |
| Pneumococcal Vaccine | <i>Vial 0.5ml</i> | | |
| Podophyllin | <i>Compound Paint</i> | <i>B.N.F</i> | |
| Podophyllotoxin | <i>Solution</i> | 0.5% | |
| Polyfax | <i>Ointment</i> | | |
| Polytar | <i>Liquid, Scalp Shampoo</i> | | |

| Drug Name | Form | Strength | Other Information |
|------------------------------------|------------------------------------|--------------------------|------------------------|
| Polytar Emollient | Liquid | | |
| Polytar plus | Liquid | | |
| Polyvinyl Alcohol | Eye drops | 1.4% | |
| Potassium Chloride | Effervescent Tablets | | |
| Potassium Chloride | Tablets M/R | 600mg | |
| Potassium Chloride | Oral solution | 1mmol in 1 ml | |
| Potassium Chloride/Dextrose | Infusion | 0.15%/5%; 0.3%/5% | |
| Potassium Chloride/Sodium Chloride | Infusion | 0.15%/0.9% | |
| Potassium Citrate | Mixture | B.N.F | |
| Potassium Permanganate | Solution Tablets | 400mg | |
| Povidine Iodine | Surgical scrub | 7.5% | |
| Povidine Iodine | Alcoholic soln | 10% | |
| Povidine Iodine | Antiseptic soln | 10% | |
| Povidine Iodine | Dry powder aerosol spray | 2.50% | |
| Povidine Iodine | Ointment | 10% | |
| Pramipexole | Tablets | 88 mcg; 180 mcg; 700 mcg | Generic/Shared care |
| Pravastatin | Tablets | 10mg; 20mg; 40mg | Generic |
| Prazosin Hydrochloride | Tablets | 0.5mg; 1mg; 2mg; 5mg | |
| Prednisolone | Tablets | 1mg; 5mg | Generic |
| Prednisolone | Eye/Ear Drops | 0.5%, 1% | |
| Prednisolone | Retention Enema | | |
| Prednisolone | Tablets enteric coated | 2.5mg; 5mg | Generic |
| Prednisolone | Soluble Tablets | 5mg | |
| Prednisolone | Suppositories | 5mg | |
| Prednisolone | Preservative free eye drops | 0.5% | |
| Pregabalin | Capsules; Oral solution sugar free | all strengths; 20mg/mL | Generic – all products |
| PREGADAY | Tablets | | |
| Primidone | Tablets | 250mg | 90 days |
| Probenecid | Tablets | 500mg | |
| Prochlorperazine | Buccal Tablets | 3mg | |
| Prochlorperazine | Injection | 12.5mg/mL | |
| Prochlorperazine | Oral solution | 5mg per 5ml | |
| Prochlorperazine | Tablets | 5mg | Generic |
| PROCTOSEDYL | Suppositories | | |

| Drug Name | Form | Strength | Other Information |
|-----------------------------------|--|----------------------------------|----------------------------|
| PROCTOSEDYL | <i>Ointment</i> | | |
| Procyclidine | <i>Tablets</i> | <i>5mg</i> | Generic |
| Procyclidine | <i>Oral solution</i> | <i>5mg/5ml</i> | |
| Procyclidine | <i>Injection</i> | <i>10mg/2ml</i> | |
| Progesterone micronized | <i>oral capsule</i> | <i>100mg</i> | |
| Progesterone | <i>Pessaries</i> | <i>200mg; 400mg</i> | |
| Progesterone | <i>Injection</i> | <i>50mg/mL</i> | |
| Promazine | <i>Suspension</i> | <i>50mg per 5ml</i> | |
| Promazine | <i>Tablets</i> | <i>25mg; 50mg</i> | |
| Promethazine Hydrochloride | <i>Tablets</i> | <i>10mg; 25mg</i> | |
| Promethazine Hydrochloride | <i>Elixir</i> | <i>5mg per 5ml</i> | |
| Prontoderm | <i>Foam</i> | | |
| Prontoderm | <i>Nasal Gel</i> | | |
| Prontoderm | <i>Mouthwash</i> | | |
| Prontoral | | | |
| Propantheline Bromide | <i>Tablets</i> | <i>15mg</i> | |
| Propranolol | <i>Injection</i> | <i>1mg in 1ml ampoules</i> | |
| Propranolol | <i>Tablets</i> | <i>10mg; 40mg; 80mg; 160mg</i> | Generic |
| Propranolol | <i>Capsules L.A</i> | <i>80mg; 160mg</i> | |
| Propranolol | <i>Mixture</i> | <i>5mg/5ml; 50mg/5ml</i> | |
| Propylthiouracil | <i>Tablets</i> | <i>50mg</i> | |
| Proxymetacaine | <i>Eye drops with Fluorescein - Minims</i> | <i>0.5%/0.25%</i> | |
| Prucalopride | <i>Tablets</i> | <i>1mg, 2mg</i> | |
| Pseudoephedrine | <i>Tablets</i> | <i>60mg</i> | Generic |
| Pseudoephedrine | <i>Elixir</i> | <i>30mg per 5ml</i> | Generic |
| Purified Water | | | |
| Pyridostigimine | <i>Tablets</i> | <i>60mg</i> | |
| Pyridoxine | <i>Tablets B. P</i> | <i>50mg</i> | Generic |
| Pyridoxine | <i>Tablets</i> | <i>10mg; 20mg</i> | |
| Quetiapine | <i>Tablets</i> | <i>25mg; 100mg; 150mg; 200mg</i> | Generic/Shared care |
| Quinidine Sulphate | <i>Tablets</i> | <i>300mg</i> | |
| Quinine Bisulphate | <i>Tablets</i> | <i>300mg</i> | Generic |
| Quinine Sulphate | <i>Tablets B P</i> | <i>200mg; 300mg</i> | Generic |
| Raloxifene | <i>Tablets</i> | <i>60mg</i> | |
| Ramipril | <i>Capsules</i> | <i>1.25mg; 2.5mg; 5mg; 10mg</i> | Generic |
| Ranitidine | <i>Tablets</i> | <i>150mg; 300mg</i> | Generic |

| Drug Name | Form | Strength | Other Information |
|----------------------------------|-----------------------------------|---|---|
| Ranitidine | <i>Injection</i> | <i>50mg per 2ml</i> | |
| Ranitidine | <i>Oral solution</i> | <i>75mg/5ml</i> | |
| Rasagiline | <i>Tablets</i> | <i>1mg</i> | Shared care |
| Renavit | <i>Tablet</i> | | Renavit brand only |
| Repaglinide | <i>Tablets</i> | <i>500 mcg; 2mg</i> | |
| Rifampicin | <i>Capsules</i> | <i>150mg; 300mg</i> | |
| Rifampicin | <i>Oral solution</i> | <i>100mg/5ml</i> | |
| Rifampicin | <i>Injection</i> | <i>600mg</i> | |
| Ringers Solution | <i>Infusion</i> | <i>500ml</i> | |
| Risedronate | <i>Tablet</i> | <i>35mg</i> | Generic |
| Risperidone | <i>Liquid</i> | <i>1mg/1ml</i> | Generic |
| Risperidone | <i>Tablets</i> | <i>0.5mg; 1mg; 2mg; 3mg; 4mg; 6mg</i> | Generic |
| Rivaroxaban | <i>Tablets</i> | <i>15mg; 20mg</i> | |
| Rivastigmine | <i>Capsules</i> | <i>1.5mg; 3mg; 4.5mg; 6mg</i> | Generic |
| Rivastigmine | <i>Oral Solution</i> | <i>2mg/ml</i> | Generic |
| Rivastigmine | <i>Transdermal Patch</i> | <i>4.6mg; 9.5 mg, 13.3mg/24 hour</i> | Generic |
| Ropinirole | <i>Tablets</i> | <i>0.25mg, 0.5mg, 1mg; 2mg; 5mg; 28 day starter pack; 28 day follow-on pack</i> | Generic/Shared care |
| Ropinirole | <i>MR tablets</i> | <i>2mg, 4mg, 8mg</i> | Generic/Shared care |
| Rose Bengal | <i>Minims</i> | <i>1%</i> | |
| Rosuvastatin | <i>Tablets</i> | <i>5mg; 10mg; 20mg; 40mg</i> | |
| Rotigotine | <i>Patches</i> | <i>1mg, 2mg, 3mg, 4mg, 6mg, 8mg</i> | Shared care |
| Sacubitril with valsartan | <i>Tablets</i> | <i>24mg/26mg, 49mg/51mg, 97mg, 103mg</i> | ONLY following initiation and stabilisation by a hospital specialist in heart failure |
| Salbutamol | <i>Accuhaler</i> | <i>200mcg per dose</i> | |
| Salbutamol | <i>Aerosol Inhaler</i> | <i>100mcg per dose - 200 dose unit</i> | |
| Salbutamol | <i>Aerosol Inhaler - CFC free</i> | <i>100mcg</i> | |
| Salbutamol | <i>Easi-breath Inhaler</i> | | |
| Salbutamol | <i>Nebules</i> | <i>1 mg per ml; 2mg per ml</i> | |
| Salbutamol | <i>Oral solution</i> | <i>2mg per 5ml</i> | |
| Salbutamol | <i>Tablets</i> | <i>2mg; 4mg</i> | |
| Salbutamol | <i>Steri-Neb</i> | <i>1 mg/ml; 2mg/ml</i> | |

| Drug Name | Form | Strength | Other Information |
|----------------------------|-----------------------------------|------------------------------------|-------------------------------------|
| Salbutamol | <i>Solution for Infusion</i> | <i>5mg/5ml</i> | |
| Salbutamol | <i>Injection</i> | <i>500mcg/ml</i> | |
| Salbutamol | <i>Inhalation solution</i> | <i>5mg/ml</i> | |
| Salbutamol | <i>Powder for inhalation</i> | <i>100mcg</i> | |
| Salicylic Acid | <i>Lotion</i> | <i>B.N.F</i> | |
| Salicylic Acid | <i>Ointment</i> | <i>B.N.F</i> | |
| Salicylic Acid/lactic acid | <i>Salactol Paint +Applic Gel</i> | <i>12% / 4%</i> | |
| Salmeterol | <i>Accuhaler</i> | <i>50mcg per dose</i> | |
| Salmeterol | <i>Aerosol Inhalation</i> | <i>25mcg/dose</i> | Generic |
| Saxagliptin | <i>Tablets</i> | <i>2.5mg, 5mg</i> | |
| SCHERIPROCT | <i>Ointment</i> | | |
| SCHERIPROCT | <i>Suppositories</i> | | |
| SeeBri Breezhaler | Dry power inhaler device | | |
| Selegiline | <i>Tablets</i> | <i>5mg</i> | Generic |
| Selenium | <i>Shampoo</i> | | |
| Senna | <i>Oral solution</i> | | |
| Senna | <i>Tablets</i> | | |
| Sertraline | <i>Tablets</i> | <i>50mg; 100mg</i> | Generic |
| Sevelamer | <i>Tablets Oral powder</i> | <i>800mg 2.4g</i> | Generic only Shared care |
| Sildenafil | <i>Tablets</i> | <i>25mg; 50mg; 100mg</i> | Generic |
| Silver Nitrate | <i>Caustic pencil</i> | <i>95%</i> | |
| Silver Sulfadiazine | <i>Cream</i> | <i>1%</i> | |
| Simple | <i>Linctus</i> | <i>B.N.F</i> | |
| Simple | <i>Linctus Paediatric</i> | <i>B.N.F</i> | |
| Simvastatin | <i>Tablets</i> | <i>10mg; 20mg; 40mg; 80mg</i> | Generic |
| Sirolimus | <i>Tablets</i> | <i>1mg; 2mg</i> | |
| Sirolimus | <i>Oral solution</i> | <i>1mg/ml</i> | |
| Sitagliptin | <i>Tablets</i> | <i>25mg, 50mg, 100mg</i> | |
| Sitagliptin/Metformin | <i>Tablets</i> | <i>50mg/1g</i> | |
| Sodium Bicarbonate | <i>Ear Drops</i> | <i>5%</i> | |
| Sodium Bicarbonate | <i>Tablets</i> | <i>500mg</i> | |
| Sodium Bicarbonate | <i>Infusion</i> | <i>8.4%-100ml; 8.4%- 200ml</i> | |
| Sodium Bicarbonate | <i>Pre-filled syringe</i> | <i>8.4%</i> | |
| Sodium Bicarbonate | <i>Infusion</i> | <i>1.26%-500ml</i> | |
| Sodium Bicarbonate | <i>Capsules</i> | <i>500mg</i> | Generic |
| Sodium Chloride | <i>Injection</i> | <i>B.N.F</i> | |

| Drug Name | Form | Strength | Other Information |
|---------------------------------|--|--|---|
| Sodium Chloride | <i>Solution</i> | <i>B.N.F</i> | |
| Sodium Chloride | <i>Minims</i> | <i>0.9%</i> | |
| Sodium Chloride | <i>Tablets M/R</i> | <i>600mg</i> | |
| Sodium Chloride | <i>Topical Irrigation</i> | <i>0.9% 10ml; 20ml; 25ml; 30ml</i> | |
| Sodium Chloride | <i>Injection</i> | <i>5ml; 10ml</i> | |
| Sodium Chloride | <i>Infusion 0.9%</i> | <i>100ml; 250ml; 500ml; 1L</i> | |
| Sodium Chloride | <i>Nebuliser Solution</i> | <i>0.9%</i> | Generic only |
| Sodium Chloride | <i>Nebuliser Solution</i> | <i>3%, 6% 7%</i> | Endorse with brand |
| Sodium Chloride | <i>Preservative free Eye Drops</i> | <i>5%</i> | See Tariff Part IXA |
| Sodium Chloride | <i>Eye Ointment</i> | <i>5%</i> | Special - See Tariff Part VIII B |
| Sodium Chloride/Dextrose | <i>Infusion</i> | <i>0.18%/4% 1L</i> | |
| Sodium Chloride/Dextrose | <i>Infusion</i> | <i>0.45%/2.5% 500ml</i> | |
| Sodium Clodronate | <i>Tablets</i> | <i>520mg</i> | |
| Sodium Cromoglicate | <i>Aqueous Eye Drops</i> | | Generic |
| Sodium Cromoglicate | <i>Metered Dose Nasal Spray</i> | <i>22ml</i> | |
| Sodium Cromoglicate | <i>Aerosol Inhaler</i> | <i>5mg</i> | |
| Sodium Cromoglicate | <i>Capsules</i> | <i>100mg</i> | |
| Sodium Fluoride | <i>Drops</i> | | |
| Sodium Fluoride | <i>Mouthwash</i> | | |
| Sodium Fluoride | <i>Tablets</i> | | |
| Sodium Fluoride | <i>Toothpaste</i> | | |
| Sodium Fusidate | <i>Cream</i> | | |
| Sodium Fusidate | <i>Ointment</i> | | |
| Sodium Fusidate | <i>Suspension</i> | <i>250mg per 5ml</i> | |
| Sodium Fusidate | <i>E.C. Tablets</i> | <i>250mg</i> | |
| Sodium Fusidate | <i>Cream with Hydrocortisone</i> | | |
| Sodium Fusidate | <i>Ointment with Hydrocortisone</i> | | |
| Sodium Ironedetate | <i>Elixir</i> | <i>190mg5ml</i> | |
| Sodium lactate | <i>Infusion</i> | | |
| Sodium Picosulphate | <i>Elixir</i> | <i>5 mg/5 ml</i> | |
| Sodium Picosulphate | <i>With Magnesium Citrate</i> | <i>10mg sachet</i> | |
| Sodium Valproate | <i>Oral solution</i> | <i>200mg per 5ml</i> | 90 days |

| Drug Name | Form | Strength | Other Information |
|---|--|---------------------------------|-----------------------------------|
| Sodium Valproate | <i>Tablets enteric coated</i> | <i>200mg; 500mg</i> | 90 days |
| Sodium Valproate | <i>Tablets & crushable</i> | <i>100mg</i> | 90 days |
| Sodium Valproate | <i>Sugar Free Liq</i> | <i>200mg/5ml</i> | 90 days |
| Sodium Valproate | <i>Tablets MR</i> | <i>200; 300; 500mg</i> | 90 days |
| Sodium Valproate | <i>Injection</i> | <i>400mg</i> | |
| Sodium Valproate | <i>MR Capsules</i> | <i>150mg, 300mg</i> | 90 days |
| Sodium Valproate | <i>Granules</i> | <i>500mg/sachet; 1g/sachet</i> | 90 days |
| Sofradex | <i>Drops (for ear or eye)</i> | | |
| Solifenacin | <i>Tablets</i> | <i>5mg; 10mg</i> | |
| Solifenacin succinate/tamsulosin hydrochloride | <i>m/r tablets</i> | 6mg/400 microgram | |
| Sotalol Hydrochloride | <i>Tablets</i> | <i>40mg; 80mg; 160mg; 200mg</i> | |
| Spasmonal | <i>Capsules</i> | <i>60mg; 120mg</i> | |
| Spirit | <i>Surgical</i> | <i>B.N.F</i> | |
| Spiro lactone | <i>Tablets</i> | <i>25mg; 50mg; 100mg</i> | Generic |
| Spiro lactone | <i>Suspension</i> | <i>10mg/5ml; 50mg/5ml</i> | |
| Sterculia | <i>Granules</i> | | Normacol Normacol Plus |
| Strontium Ranelate | <i>Granules</i> | <i>2g/sachet</i> | |
| Sucralfate | <i>Tablets</i> | <i>1g</i> | |
| Sudocrem | <i>Cream</i> | | |
| Sulfasalazine | <i>Tablets</i> | <i>500mg</i> | |
| Sulfasalazine | <i>Tablets EC</i> | <i>500mg</i> | |
| Sulfasalazine | <i>Suspension</i> | <i>250mg/5ml</i> | |
| Sulfasalazine | <i>Suppositories</i> | <i>500mg</i> | |
| Sulfinpyrazone | <i>Tablets</i> | <i>100mg; 200mg</i> | |
| Sulpiride | <i>Tablets</i> | <i>200mg; 400mg</i> | Generic |
| Sulpiride | <i>Liquid</i> | <i>200mg/5ml</i> | |
| Sumatriptan | <i>Pre-filled injection, pre-filled pen, Autoinjector device</i> | <i>6mg</i> | |
| Sumatriptan | <i>Nasal Spray (aqueous)</i> | <i>20mg/0.1ml</i> | |
| Sumatriptan | <i>Tablets</i> | <i>50mg, 100mg</i> | Generic |
| SYNALAR N | <i>Cream</i> | | |
| SYNALAR N | <i>Ointment</i> | | |
| Sytron | <i>Oral solution</i> | | |
| Tacrolimus | <i>Ointment</i> | <i>0.03%; 0.1%</i> | Shared care |

| Drug Name | Form | Strength | Other Information |
|--|---------------------|---|-------------------|
| Tacrolimus | Capsules | 500mcg; 1mg; 5mg | |
| Tacrolimus | Suspension | 5mg per 5ml | |
| Tadalafil | Tablets | 2.5mg, 5mg, 10mg, 20mg | Generic only |
| Tafluprost | Unit dose eye drops | 15mcg/mL | |
| Tafluprost/timolol | Eye drops | 15mcg/5mg per mL | |
| Talc | Dusting Powder | B.N.F | |
| Tamoxifen | Tablets | 10mg; 20mg; 40mg | Generic |
| Tamsulosin | m/r capsules | 400mcg | Generic |
| Tamsulosin hydrochloride/ solifenacin succinate | m/r tablets | 400 micrograms/ 6mg | |
| Tazarotene | Gel | 0.05% | |
| Teicoplanin | Injection | 200mg, 400mg | |
| Telmisartan | Tablets | 20mg; 40mg; 80mg | |
| Temazepam C.D. | Tablets | 10mg; 20mg | |
| Terbinafine | Cream | 1% | Generic |
| Terbinafine | Tablets | 250mg | Generic |
| Terbutaline Sulphate | Respules | 5mg per 2ml | |
| Terbutaline Sulphate | Turbohaler | | |
| Testosterone | Injection | 100mg; 250mg | |
| Testosterone | Implant | 100mg; 200mg | |
| Testosterone | Gel | 50mg/5g; 16.2mg/g (20.25mg per actuation) 2% (10mg per actuation) | |
| Testosterone enanthate | Injection (IM) oily | 250mg/ml | |
| Testosterone undecanoate | Injection (oily) | 250mg/mL | |
| Testosterone undecanoate | Capsules | 40mg | |
| Tetrabenazine | Tablets | 25mg | |
| Tetracaine (amethocaine) | Gel | 4% | |
| Tetracaine (amethocaine) | Minims | 1% | |
| Tetracosactide | Injection | 0.25mg per ml; 1mg per ml | |
| Tetracycline B.P | Tablets | 250mg | Generic |
| Theophylline | Tablets M/R | 175mg; 200mg; 300mg; 400mg | |
| Theophylline | Capsules M/R | 60mg; 125mg; 250mg | |
| Thiamine Hydrochloride | Tablets | 50mg; 100mg | |
| Tiabendazole | Tablets | 500mg (may require special order) | |

| Drug Name | Form | Strength | Other Information |
|-----------------------|--|-------------------------------|--|
| Tibolone | Tablets | 2.5mg | 90 days |
| Ticagrelor | Tablets | 90mg | |
| TIMODINE | Cream | | |
| Timolol Maleate | Eye Drops | 0.25%; 0.50% | |
| Timolol Maleate | Preservative free | 0.25%; 0.50% | |
| Timolol | Eye gel | 1mg/g | |
| Timolol/Bimatoprost | Eye Drops | 5mg/300mcg/ml | |
| Tinidazole | Tablets | 500mg | |
| Tiotropium | Dry Powder capsule (and with Handihaler) | | |
| Tiotropium | Solution for inhalation | 2.5mcg | |
| Tiotropium/olodaterol | pressurised inhaler | 2.5mcg/2.5mcg | Spiolto Respimat |
| Tizanidine | Tablets | 2mg; 4mg | Generic |
| Tolbutamide | Tablets | 500mg | Generic/ 90 days |
| Tolterodine | Capsules MR | 4mg | |
| Tolterodine | Tablets | 1mg | |
| Topiramate | Tablets | 25mg; 50mg; 100mg; 200mg | 90 days |
| Topiramate | Capsules | 50mg | 90 days |
| Topiramate | Sprinkle Capsules | 15mg; 25mg; 50mg | 90 days |
| Toremifene | Tablets | 60mg | |
| Tramadol | Capsules | 50mg | Generic |
| Tramadol | Injection | 100mg/2ml | |
| Tramadol | Soluble Tablets | 50mg | |
| Tramadol | Capsules MR | 50mg; 100mg; 150mg; 200mg | |
| Tranexamic Acid | Tablets | 500mg | |
| Tranexamic Acid | Injection | 500mg/5ml | |
| Tranlycypromine | Tablets | 10mg | |
| Trazodone | Capsules | 50mg; 100mg | Generic |
| Trazodone | Oral Liquid S/F | 50mg/5ml | |
| Trazodone | Tablets | 150mg | Generic |
| Trelegy Ellipta | dry powder inhaler | 92mcg/55mcg/22mcg per dose | contains fluticasone + umeclidinium + vilanterol |
| Tretinoin/clindamycin | Gel | 250mcg/10mg per gram | |
| Triamcinolone | In Orabase Injection | 10mg per 1ml 40mg per ml | |
| Triclosan | Solution | 1%; 2%- 250ml; 500ml | |
| Triclosan | Solution (Sterac Bath Concentrate) | | |

| Drug Name | Form | Strength | Other Information |
|---|---|-----------------------------------|------------------------|
| Triclosan | <i>In IPA</i> | <i>Hand rub Manusept</i> | |
| Trifluoperazine Hydrochloride | <i>Oral solution</i> | <i>1mg per 5ml</i> | |
| Trifluoperazine Hydrochloride | <i>Tablets</i> | <i>1mg; 5mg</i> | |
| Trifluoperazine Hydrochloride | <i>Oral Solution</i> | <i>1mg/ml;</i> | |
| Trifluoperazine Hydrochloride | <i>Liquid 10mg/ml (special manufacture)</i> | | |
| Trihexyphenidyl | <i>Tablets</i> | <i>2mg; 5mg</i> | Generic |
| Trimethoprim | <i>Tablets</i> | <i>100mg; 200mg</i> | Generic |
| Trimethoprim | <i>Suspension</i> | <i>50mg per 5ml</i> | |
| Trimipramine | <i>Capsules</i> | <i>50mg</i> | |
| Trimipramine | <i>Tablets</i> | <i>10mg; 25mg</i> | |
| Tripotassium Dicitratobismuthate | <i>Tablets</i> | <i>120mg</i> | |
| TRIPTAFEN | <i>Tablets</i> | | |
| Triptorelin | <i>Injection</i> | <i>3mg, 11.25mg, 22.5mg</i> | Shared care |
| TRISEQUENS | <i>Tablets</i> | | |
| TRISEQUENS | <i>Tablets Forte</i> | | |
| Tropicamide | <i>Eye Drops</i> | <i>0.5; 1%</i> | |
| Tropicamide | <i>Minims</i> | <i>0.5; 1%</i> | |
| T-Safe® 380A QuickLoad | <i>Intrauterine contraceptive device</i> | | |
| TT 380® Slimline | <i>Intrauterine contraceptive device</i> | | |
| Tuberculin PPD | <i>Intra-Dermal for Mantoux Test</i> | <i>20 units/mL; 100 units/mL</i> | |
| Ullipristal acetate | <i>Tablets</i> | <i>30mg</i> | |
| Ultibro Breezhaler device | Dry powder inhaler device | | |
| Umeclidinium/vilanterol (Anoro Ellipta) | <i>dry powder inhaler</i> | <i>55mcg/22mcg</i> | |
| Umeclidinium (Incruse Ellipta) | <i>dry powder inhaler</i> | <i>55mcg</i> | |
| Fluticasone + umeclidinium + vilanterol | <i>dry powder inhaler</i> | <i>92mcg/55mcg/22mcg per dose</i> | Trelegy Ellipta |
| UNGUENTUM MERCK | <i>Cream</i> | | |
| Urea | <i>Cream</i> | <i>10%</i> | |
| Urea | <i>Cream with Hydrocortisone</i> | | |
| Urea/lactic acid (Calmurid) | <i>Cream</i> | <i>10%/5%</i> | |

| Drug Name | Form | Strength | Other Information |
|---|-----------------------------------|--------------------------------|---|
| Ursodeoxycholic acid | Capsules | 250mg | |
| Ursodeoxycholic acid | Tablets | 150mg | |
| Ursodeoxycholic acid | Suspension | 250mg/5ml | |
| UT 380 Short® | Intrauterine contraceptive device | | |
| UT 380 Standard® | Intrauterine contraceptive device | | |
| Uvistat (mexenone) | Sun cream | 15; 20; 30; 50 | |
| Valaciclovir | Tablets | 250mg; 500mg | |
| Valproic Acid | Tablets E/C | 250mg; 500mg | |
| Vancomycin | Capsules Injection | 125mg; 250mg 500mg/1g | (for oral solution) |
| Venlafaxine | m/r capsules | 75mg; 150mg | Generic |
| Venlafaxine | Tablets | 37.5mg; 75mg | Generic |
| Venlafaxine | m/r tablets | 75mg, 150mg | Generic |
| Verapamil | m/r capsules | 120mg; 180mg; 240mg | |
| Verapamil | m/r tablets | 120mg; 240mg | |
| Verapamil | Tablets | 40mg; 80mg; 120mg | Generic |
| Verapamil | Injection | 5mg/2ml | |
| Vilanterol/Fluticasone (Relvar Ellipta) | Dry powder inhaler | 22mcg/92mcg, 22mcg/184mcg | |
| Vilanterol/umeclidinium (Anoro Ellipta) | dry powder inhaler | 22mcg/55mcg | |
| Fluticasone + umeclidinium + vilanterol | dry powder inhaler | 92mcg/55mcg/22mcg per dose | Trelegy Ellipta |
| Vildagliptin | Tablets | 50mg | Shared care |
| Vildagliptin/Metformin | Tablets | 50mg/850mg, 50mg/1000mg | Shared care |
| Vitamin B Compound | Tablets Forte | | |
| Vitamin E | Capsules | 400IU | Vita-E 400unit capsules brand (Typharm Ltd) |
| Vitamin K | Tablets | 10mg | |
| Vitamins | Capsules | B.N.F | |
| Volumatic (including paediatric mask) | | | |
| Warfarin | Tablets | 0.5mg; 1mg; 3mg; 5mg | |
| Water for Injection | Ampoules | 2ml; 5ml; 10ml; 25ml; 500ml | |

| Drug Name | Form | Strength | Other Information |
|--------------------------------|----------------------------------|--------------------------------|-------------------|
| White soft paraffin | | | |
| Wool Alcohols | <i>Ointment</i> | <i>B.P.</i> | |
| Xylometazoline | <i>Drops</i> | <i>0.1%</i> | |
| Xylometazoline | <i>Spray</i> | <i>0.1%</i> | |
| Xylometazoline | <i>Paediatric Drops</i> | <i>0.05%</i> | |
| XYLOPROCT | <i>Ointment</i> | | |
| Zanamivir | <i>Dry powder for inhalation</i> | <i>5mg/dose</i> | |
| Zinc and Castor Oil | <i>Ointment</i> | <i>B.N.F</i> | |
| Zinc and Castor Oil | <i>Ointment</i> | | |
| Zinc and Ichthammol | <i>Bandage</i> | | |
| Zinc and Salicylic Acid | <i>Paste</i> | <i>B.N.F</i> | |
| Zinc Compound | <i>Paste</i> | | |
| Zinc Sulphate | <i>Capsules</i> | <i>220mg</i> | |
| Zineryt | <i>Topical Solution</i> | | |
| Zolmitriptan | <i>Tablets</i> | <i>2.5mg</i> | Generic |
| Zolmitriptan | <i>Nasal Spray</i> | <i>5mg/dose</i> | Generic |
| Zolpidem Tartrate | <i>Tablets</i> | <i>5mg; 10mg</i> | Generic |
| Zopiclone | <i>Tablets</i> | <i>3.75mg; 7.5mg</i> | Generic |
| Zuclopenthixol acetate | <i>Injection</i> | <i>50mg/1ml; 100mg/2ml</i> | |
| Zuclopenthixol decanoate | <i>Injection</i> | <i>200mg/1ml; 500mg/ml</i> | |
| Zuclopenthixol dihydrochloride | <i>Tablets</i> | <i>2mg; 10mg; 25mg</i> | |